

Perioperative Medication Management (2018-2021)

References

1. Cohn S. Perioperative medication management. PIER: American College of Physicians [online database]. Available at: <http://pier.acponline.org/physicians/diseases/d835/d835.html>. Accessed July 10, 2009.
2. Muluk V, Cohn S, Whinney C. Perioperative medication management. UpToDate. 2017. Available at: <http://www.uptodate.com/patients/content/topic.do?topicKey=-CCAspYzNI1KDTx>. Accessed September 9, 2017.
3. Ferraris VA, Ferraris SP, Joseph O, et al. Aspirin and postoperative bleeding after coronary artery bypass grafting. *Ann Surg.* 2002;235:820-827.
4. Sun JC, Whitlock R, Cheng J, et al. The effect of pre-operative aspirin on bleeding, transfusion, myocardial infarction, and mortality in coronary artery bypass surgery: a systematic review of randomized and observational studies. *Eur Heart J.* 2008;29:1057-1071.
5. Maulaz AB, Bezerra DC, Michel P, Bogousslavsky J. Effect of discontinuing aspirin therapy on the risk of brain ischemic stroke. *Arch Neurol.* 2005;62:1217-1220.
6. Mangano DT. Aspirin and mortality from coronary bypass surgery. *N Engl J Med.* 2002;347:1309-1317.
7. Dacey LJ, Munoz JJ, Johnson ER, et al. Effect of preoperative aspirin use on mortality in coronary artery bypass grafting patients. *Ann Thorac Surg.* 2000;70:1986-1990.
8. Devereaux PJ, Mrkobrada M, Sessler DI, et al; POISE-2 Investigators. Aspirin in patients undergoing noncardiac surgery. *N Engl J Med.* 2014;370:1494-1503.
9. Goldenberg NA, Jacobson L, Manco-Johnson MJ. Brief communication: duration of platelet dysfunction after a 7-day course of ibuprofen. *Ann Intern Med.* 2005;142:506-509.
10. Straube S, Derry S, McQuay HJ, Moore RA. Effect of preoperative Cox-II-selective NSAIDs (coxibs) on postoperative outcomes: a systematic review of randomized studies. *Acta Anaesthesiol Scand.* 2005;49:601-613.
11. Ascione R, Ghosh A, Rogers CA, et al. In-hospital patients exposed to clopidogrel before coronary artery bypass graft surgery: a word of caution. *Ann Thorac Surg.* 2005;79:1210-1216.
12. Levine GN, Bates ER, Bittl JA, Brindis RG, Fihn SD, Fleisher LA, Granger CB, Lange RA, Mack MJ, Mauri L, Mehran R, Mukherjee D, Newby LK, O'Gara PT, Sabatine MS, Smith PK, Smith SC Jr. 2016 ACC/AHA Guideline Focused Update on Duration of Dual Antiplatelet Therapy in Patients With Coronary Artery Disease: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines: An Update of the 2011 ACCF/AHA/SCAI Guideline for Percutaneous Coronary Intervention, 2011 ACCF/AHA Guideline for Coronary Artery Bypass Graft Surgery, 2012 ACC/AHA/ACP/AATS/PCNA/SCAI/STS Guideline for the Diagnosis and Management of Patients With Stable Ischemic Heart Disease, 2013 ACCF/AHA Guideline for the Management of ST-Elevation Myocardial Infarction, 2014 AHA/ACC Guideline for the Management of Patients With Non-ST-Elevation Acute Coronary Syndromes, and 2014 ACC/AHA Guideline on Perioperative Cardiovascular Evaluation and Management of

- Patients Undergoing Noncardiac Surgery. *Circulation*. 2016 Sep 6;134(10):e123-55. PMID:27026020.
13. Fleisher LA, Fleischmann KE, Auerbach AD, et al. 2014 ACC/AHA Guideline on Perioperative Cardiovascular Evaluation and Management of Patients Undergoing Noncardiac Surgery: A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. *J Am Coll Cardiol*. 2014;64:e77-e137.
 14. Douketis JD, Spyropoulos AC, Spencer FA, et al; American College of Chest Physicians. Perioperative management of antithrombotic therapy: Antithrombotic Therapy and Prevention of Thrombosis, 9th ed: American College of Chest Physicians Evidence-Based Clinical Practice Guidelines. *Chest*. 2012;141:e326S-e3250s. Erratum in: *Chest*. 2012;141:1129.
 15. Galanis T, Thomson L, Palladino M, et al. New oral anticoagulants. *J Thromb Thrombolysis*. 2011;31:310-320.
 16. Eriksson BI, Quinlan DJ, Weitz JI. Comparative pharmacodynamics and pharmacokinetics of oral direct thrombin and factor xa inhibitors in development. *Clin Pharmacokinet*. 2009;48:1-22.
 17. Wijeysundera DN, Duncan D, Nkonde-Price C, et al. Perioperative Beta Blockade in Noncardiac Surgery: A Systematic Review for the 2014 ACC/AHA Guideline on Perioperative Cardiovascular Evaluation and Management of Patients Undergoing Noncardiac Surgery: A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. *J Am Coll Cardiol*. 2014;64:2406-2425.
 18. Bangalore S, Wetterslev J, Pranesh S, et al. Perioperative beta blockers in patients having non-cardiac surgery: a meta-analysis. *Lancet*. 2008;372:1962-1976.
 19. Wallace AW, Au S, Cason BA. Association of the pattern of use of perioperative b-blockade and postoperative mortality. *Anesthesiology*. 2010;113:794-805.
 20. Shammash JB, Trost JC, Gold JM, et al. Perioperative beta-blocker withdrawal and mortality in vascular surgical patients. *Am Heart J*. 2001;141:148-153.
 21. Fleischmann KE, Beckman JA, Buller CE, et al. American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines;American Society of Echocardiography; American Society of Nuclear Cardiology; Heart Rhythm Society; Society of Cardiovascular Anesthesiologists; Society for Cardiovascular Angiography and Interventions; Society for Vascular Medicine; Society for Vascular Surgery. 2009 ACCF/AHA focused update on perioperative β blockade. *J Am Coll Cardiol*. 2009;54:2102-2128.
 22. Devereaux PJ, Yang H, Yusuf S, et al. Effects of extended-release metoprolol succinate in patients undergoing non-cardiac surgery (POISE trial): a randomized controlled trial. *Lancet*. 2008;371:1839-1847.
 23. Flu WJ, van Kuijk JP, Chonchol M, et al. Timing of pre-operative b-blocker treatment in vascular surgery patients: influence on post-operative outcome. *J Am Coll Cardiol*. 2010;56:1922-1929.
 24. Badgett RG, Lawrence VA, Cohn SL. Variations in pharmacology of beta-blockers may contribute to heterogeneous results in trials of perioperative beta-blockade. *Anesthesiology*. 2010;113:585-592.

25. Wallace AW, Au S, Cason BA. Perioperative b-blockade: atenolol is associated with reduced mortality when compared to metoprolol. *Anesthesiology*. 2011;114:824-836.
26. Redelmeier D, Scales D, Kopp A. Beta blockers for elective surgery in elderly patients: population based, retrospective cohort study. *BMJ*. 2005;331:932.
27. Wallace AW, Galindez D, Salahieh A, et al. Effect of clonidine on cardiovascular morbidity and mortality after noncardiac surgery. *Anesthesiology*. 2004;101:284-293.
28. Devereaux PJ, Sessler DI, Leslie K, et al; POISE-2 Investigators. Clonidine in patients undergoing noncardiac surgery. *N Engl J Med*. 2014;370:1504-1513.
29. Chang DF, Osher RH, Wang L, Koch DD. Prospective multicenter evaluation of cataract surgery in patients taking tamsulosin (Flomax). *Ophthalmology*. 2007;114:957-964.
30. Bell CM, Hatch WV, Fischer HD, et al. Association between tamsulosin and serious ophthalmic adverse events in older men following cataract surgery. *JAMA*. 2009;301:1991-1996.
31. Stevens RD, Burri H, Tramer MR. Pharmacologic myocardial protection in patients undergoing noncardiac surgery: a quantitative systematic review. *Anesth Analg*. 2003;97:623-633.
32. Wijeysundera DN, Beattie WS. Calcium channel blockers for reducing cardiac morbidity after noncardiac surgery: a meta-analysis. *Anesth Analg*. 2003;97:634-641.
33. Khan NA, Campbell NR, Frost SD, et al. Risk of intraoperative hypotension with loop diuretics: a randomized controlled trial. *Am J Med*. 2010;123:1059.e1-e8.
34. Hirsch IA, Tomlinson DL, Slogoff S, Keats AS. The overstated risk of preoperative hypokalemia. *Anesth Analg*. 1988;67:131-136.
35. Rosenman DJ, McDonald FS, Ebbert JO, et al. Clinical consequences of withholding versus administering renin-angiotensin-aldosterone system antagonists in the preoperative period. *J Hosp Med*. 2008;3:319-325.
36. Comfere T, Sprung J, Kumar MM, et al. Angiotensin system inhibitors in a general surgical population. *Anesth Analg*. 2005;100:636-644.
37. Bertrand M, Godet G, Meerschaert K, et al. Should the angiotensin II antagonists be discontinued before surgery? *Anesth Analg*. 2001;92:26-30.
38. Nielson E, Hennrikus E, Lehman E, Mets B. Angiotensin axis blockade, hypotension, and acute kidney injury in elective major orthopedic surgery. *J Hosp Med*. 2014;9:283-288.
39. Chopra V, Wijeysundera DN. The right time and "PI ACE": optimal management of perioperative angiotensin-converting enzyme inhibitors. *J Hosp Med*. 2014;9:334-336.
40. Kheterpal S, Khodaparast O, Shanks A, et al. Chronic angiotensin-converting enzyme inhibitor or angiotensin receptor blocker therapy combined with diuretic therapy is associated with increased episodes of hypotension in noncardiac surgery. *J Cardiothorac Vasc Anesth*. 2008;22:180-186.
41. Kapoor AS, Kanji H, Buckingham J, et al. Strength of evidence for perioperative use of statins to reduce cardiovascular risk: systematic review of controlled studies. *BMJ*. 2006;333:1149.
42. Durazzo AE, Machado FS, Ikeoka DT, et al. Reduction in cardiovascular events after vascular surgery with atorvastatin: a randomized trial. *J Vasc Surg*. 2004;39:967-975; discussion 975-966.

43. Schouten O, Boersma E, Hoeks SE, et al. Fluvastatin and perioperative events in patients undergoing vascular surgery. *N Engl J Med.* 2009;361:980-989.
44. Dunkelgrun M, Boersma E, Schouten O, et al. Bisoprolol and fluvastatin for the reduction of perioperative cardiac mortality and myocardial infarction in intermediate-risk patients undergoing noncardiovascular surgery: a randomized controlled trial (DECREASE-IV). *Ann Surg.* 2009;249:921-926.
45. Glynn RJ, Danielson E, Fonseca FA, et al. A randomized trial of rosuvastatin in the prevention of venous thromboembolism. *N Engl J Med.* 2009;360:1851-1861.
46. Schouten O, Kertai MD, Bax JJ, et al. Safety of perioperative statin use in high-risk patients undergoing major vascular surgery. *Am J Cardiol.* 2005;95:658-660.
47. Farmer JA, Gotto AM, Jr. Antihyperlipidaemic agents. Drug interactions of clinical significance. *Drug Saf.* 1994;11:301-309.
48. Silvanus MT, Groeben H, Peters J. Corticosteroids and inhaled salbutamol in patients with reversible airway obstruction markedly decrease the incidence of bronchospasm after tracheal intubation. *Anesthesiology.* 2004;100:1052-1057.
49. Su FW, Beckman DB, Yarnold PA, Grammer LC. Low incidence of complications in asthmatic patients treated with preoperative corticosteroids. *Allergy Asthma Proc.* 2004;25:327-333.
50. Pien LC, Grammer LC, Patterson R. Minimal complications in a surgical population with severe asthma receiving prophylactic corticosteroids. *J Allergy Clin Immunol.* 1988;82:696-700.
51. Schen RJ, Benaroya Y. Hypoglycaemic coma due to chlorpropamide: observations on twenty-two patients. *Age Ageing.* 1976;5:31-36.
52. Schen RJ, Khazzam AS. Postoperative hypoglycaemic coma associated with chlorpropamide. *Br J Anaesth.* 1975;47:899-900.
53. Mercker SK, Maier C, Neumann G, Wulf H. Lactic acidosis as a serious perioperative complication of antidiabetic biguanide medication with metformin. *Anesthesiology.* 1997;87:1003-1005.
54. Salpeter S, Greyber E, Pasternak G, Salpeter E. Risk of fatal and nonfatal lactic acidosis with metformin use in type 2 diabetes mellitus. *Cochrane Database Syst Rev.* 2002;CD002967.
55. Duncan AI, Koch CG, Xu M, et al. Recent metformin ingestion does not increase in-hospital morbidity or mortality after cardiac surgery. *Anesth Analg.* 2007;104:42-50.
56. Pezzarossa A, Taddei F, Cimicchi MC, et al. Perioperative management of diabetic subjects. Subcutaneous versus IV insulin administration during glucosepotassium infusion. *Diabetes Care.* 1988;11:52-58.
57. van den Berghe G, Wouters P, Weekers F, et al. Intensive insulin therapy in the critically ill patients. *N Engl J Med.* 2001;345:1359-1367.
58. Dhatariya K, Flanagan D, Hilton D, et al. Management of Adults with Diabetes Undergoing Surgery and Elective Procedures: Improving Standards. Diabetes UK Web site. Available at: <http://www.diabetes.org.uk/Documents/Professionals/Reports%20and%20statistics/Management%20of%20adults%20with%20diabetes%20undergoing%20surgery%20and%20elective%20procedures%20-%20improving%20standards.pdf>.

Published: April 2011. Accessed December 2014.

59. Joshi GP, Chung F, Vann MA, et al; Society for Ambulatory Anesthesia. Society for Ambulatory Anesthesia consensus statement on perioperative blood glucose management in diabetic patients undergoing ambulatory surgery. *Anesth Analg*. 2010;111:1378-1387.
60. Yong SL, Marik P, Esposito M, Coulthard P. Supplemental perioperative steroids for surgical patients with adrenal insufficiency. *Cochrane Database Syst Rev*. 2009;(4):CD005367.
61. Coursin DB, Wood KE. Corticosteroid supplementation for adrenal insufficiency. *JAMA*. 2002;287:236-240.
62. Salem M, Tainsh RE, Jr, Bromberg J, et al. Perioperative glucocorticoid coverage. A reassessment 42 years after emergence of a problem. *Ann Surg*. 1994;219:416-425.
63. Wolfe RM. Antidepressant withdrawal reactions. *Am Fam Physician*. 1997;56:455-462.
64. Auerbach AD, Vittinghoff E, Maselli J, et al. Perioperative use of selective serotonin reuptake inhibitors and risks for adverse outcomes of surgery. *JAMA Intern Med*. 2013;173:1075-1081.
65. Kroenke K, Goobey-Toedt D, Jackson JL. Chronic medications in the perioperative period. *South Med J*. 1998;91:358-364.
66. Warth LC, Noiseux NO, Hogue MH, Klaassen AL, Liu SS, Callaghan JJ. Risk of Acute Kidney Injury After Primary and Revision Total Hip Arthroplasty and Total Knee Arthroplasty Using a Multimodal Approach to Perioperative Pain Control Including Ketorolac and Celecoxib. *J Arthroplasty*. 2016 Jan;31(1):253-5. PMID: 26377377.
67. Weinrieb RM, Auriacombe M, Lynch KG, Lewis JD. Selective serotonin re-uptake inhibitors and the risk of bleeding. *Expert Opin Drug Saf*. 2005;4:337-344.
68. Movig KL, Janssen MW, de Waal Malefijt J, et al. Relationship of serotonergic antidepressants and need for blood transfusion in orthopedic surgical patients. *Arch Intern Med*. 2003;163:2354-2358.
69. Michelson D, Fava M, Amsterdam J, et al. Interruption of selective serotonin reuptake inhibitor treatment. Double-blind, placebo-controlled trial. *Br J Psychiatry*. 2000;176:363-368.
70. Noble WH, Baker A. MAO inhibitors and coronary artery surgery: a patient death. *Can J Anaesth*. 1992;39:1061-1066.
71. Gray EJ, Dierks EJ. Lithium-induced diabetes insipidus in a surgical patient: report of a case and review of the literature. *J Oral Maxillofac Surg*. 1996;54:909-912.
72. Evans DE. Anaesthesia and the epileptic patient. A review. *Anaesthesia*. 1975;30:34-45.
73. Friedman JH, Feinberg SS, Feldman RG. A neuroleptic malignantlike syndrome due to levodopa therapy withdrawal. *JAMA*. 1985;254:2792-2795.
74. Douketis JD, Spyropoulos AC, Kaatz S, Becker RC, Caprini JA, Dunn AS, Garcia DA, Jacobson A, Jaffer AK, Kong DF, Schulman S, Turpie AG, Hasselblad V, Ortel TL; BRIDGE Investigators. Perioperative Bridging Anticoagulation in Patients with Atrial Fibrillation. *N Engl J Med*. 2015 Aug 27;373(9):823-33. PMID: 26095867
75. Turan A, You J, Shiba A, Kurz A, Saager L, Sessler DI. Angiotensin converting enzyme inhibitors are not associated with respiratory complications or mortality after noncardiac surgery. *Anesth Analg*. 2012 Mar;114(3):552-60. PMID: 22253266.
76. Steely AM, Callas PW, Bertges DJ; Vascular Study Group of New England. Renin-angiotensin-aldosterone-system inhibition is safe in the preoperative period surrounding carotid endarterectomy. *J Vasc Surg*. 2016 Mar;63(3):715-21. PMID: 26603543.

77. Roshanov PS, Rochwerg B, Patel A, Salehian O, Duceppe E, Belley-Côté EP, Guyatt GH, Sessler DI, Le Manach Y, Borges FK, Tandon V, Worster A, Thompson A, Koshy M, Devereaux B, Spencer FA, Sanders RD, Sloan EN, Morley EE, Paul J, Raymer KE, Punthakee Z, Devereaux PJ. Withholding versus Continuing Angiotensin-converting Enzyme Inhibitors or Angiotensin II Receptor Blockers before Noncardiac Surgery: An Analysis of the Vascular events In noncardiac Surgery patients cohort evaluation Prospective Cohort. *Anesthesiology*. 2017 Jan;126(1):16-27. PMID: 27775997.
78. Cheungpasitporn W, Thongprayoon C, Srivali N, O'Corragain OA, Edmonds PJ, Ungprasert P, Kittanamongkolchai W, Erickson SB. Preoperative renin-angiotensin system inhibitors use linked to reduced acute kidney injury: a systematic review and meta-analysis. *Nephrol Dial Transplant*. 2015 Jun;30(6):978-88. PMID: 25800881.
79. Shah M, Jain AK, Brunelli SM, Coca SG, Devereaux PJ, James MT, Luo J, Molnar AO, Mrkobrada M, Pannu N, Parikh CR, Paterson M, Shariff S, Wald R, Walsh M, Whitlock R, Wijeysundera DN, Garg AX. Association between angiotensin converting enzyme inhibitor or angiotensin receptor blocker use prior to major elective surgery and the risk of acute dialysis. *BMC Nephrol*. 2014 Apr 2;15:53. PMID: 24694072.
80. Nielson E, Hennrikus E, Lehman E, Mets B. Angiotensin axis blockade, hypotension, and acute kidney injury in elective major orthopedic surgery. *J Hosp Med*. 2014 May;9(5):283-8. PMID: 24464761.
81. Kristensen SD, Knuuti J, Saraste A, Anker S, Bøtker HE, Hert SD, Ford I, Gonzalez-Juanatey JR, Gorenek B, Heyndrickx GR, Hoeft A, Huber K, Iung B, Kjeldsen KP, Longrois D, Lüscher TF, Pierard L, Pocock S, Price S, Roffi M, Sirnes PA, Sousa-Uva M, Voudris V, Funck-Brentano C; Authors/Task Force Members. 2014 ESC/ESA Guidelines on non-cardiac surgery: cardiovascular assessment and management: The Joint Task Force on non-cardiac surgery: cardiovascular assessment and management of the European Society of Cardiology (ESC) and the European Society of Anaesthesiology (ESA). *Eur Heart J*. 2014 Sep 14;35(35):2383-431. PMID: 25086026.
82. Duceppe E, Parlow J, MacDonald P, Lyons K, McMullen M, Srinathan S, Graham M, Tandon V, Styles K, Bessisow A, Sessler DI, Bryson G, Devereaux PJ. Canadian Cardiovascular Society Guidelines on Perioperative Cardiac Risk Assessment and Management for Patients Who Undergo Noncardiac Surgery. *Can J Cardiol*. 2017 Jan;33(1):17-32. PMID: 27865641.
83. Lee SM, Takemoto S, Wallace AW. Association between Withholding Angiotensin Receptor Blockers in the Early Postoperative Period and 30-day Mortality: A Cohort Study of the Veterans Affairs Healthcare System. *Anesthesiology*. 2015 Aug;123(2):288-306. PMID: 26200181.
84. Mudumbai SC, Takemoto S, Cason BA, Au S, Upadhyay A, Wallace AW. Thirty-day mortality risk associated with the postoperative nonresumption of angiotensin-converting enzyme inhibitors: a retrospective study of the Veterans Affairs Healthcare System. *J Hosp Med*. 2014 May;9(5):289-96. PMID: 24799360.
85. London MJ, Schwartz GG, Hur K, Henderson WG. Association of Perioperative Statin Use With Mortality and Morbidity After Major Noncardiac Surgery. *JAMA Intern Med*. 2017 Feb 1;177(2):231-242. PMID: 27992624.

86. Berwanger O, Le Manach Y, Suzumura EA, Biccard B, Srinathan SK, Szczeklik W, Santo JA, Santucci E, Cavalcanti AB, Archbold RA, Devereaux PJ; VISION Investigators. Association between pre-operative statin use and major cardiovascular complications among patients undergoing non-cardiac surgery: the VISION study. *Eur Heart J.* 2016 Jan 7;37(2):177-85. PMID: 26330424
87. Rosenstock J, Ferrannini E. Euglycemic Diabetic Ketoacidosis: A Predictable, Detectable, and Preventable Safety Concern With SGLT2 Inhibitors. *Diabetes Care.* 2015 Sep;38(9):1638-42. PMID: 26294774.
88. Singh I, Achuthan S, Chakrabarti A, Rajagopalan S, Srinivasan A, Hota D. Influence of pre-operative use of serotonergic antidepressants (SADs) on the risk of bleeding in patients undergoing different surgical interventions: a meta-analysis. *Pharmacoepidemiol Drug Saf.* 2015 Mar;24(3):237-45. PMID: 24789076.
89. Goodman SM, Springer B, Guyatt G, Abdel MP, Dasa V, George M, Gewurz-Singer O, Giles JT, Johnson B, Lee S, Mandl LA, Mont MA, Sculco P, Sporer S, Stryker L, Turgunbaev M, Brause B, Chen AF, Gililand J, Goodman M, Hurley-Rosenblatt A, Kirou K, Losina E, MacKenzie R, Michaud K, Mikuls T, Russell L, Sah A, Miller AS, Singh JA, Yates A. 2017 American College of Rheumatology/American Association of Hip and Knee Surgeons Guideline for the Perioperative Management of Antirheumatic Medication in Patients With Rheumatic Diseases Undergoing Elective Total Hip or Total Knee Arthroplasty. *Arthritis Rheumatol.* 2017 Aug;69(8):1538-1551. PMID: 28620948.
90. Roshanov PS et al. Withholding versus Continuing Angiotensin-converting Enzyme Inhibitors or Angiotensin II Receptor Blockers before Noncardiac Surgery *Anesthesiology.* 2017;126(1):16-27
91. Graham MM, Sessler DI, Parlow JL, Biccard BM, Guyatt G, Leslie K, et al. Aspirin in Patients With Previous Percutaneous Coronary Intervention Undergoing Noncardiac Surgery. *Ann Intern Med.* [Epub ahead of print 14 November 2017] doi: 10.7326/M17-2341
92. Roshanov PS et al. *Withholding versus Continuing Angiotensin-converting Enzyme Inhibitors or Angiotensin II Receptor Blockers before Noncardiac Surgery* *Anesthesiology.* 2017;126(1):16-27
93. Narouze, Samer, et al. "Interventional Spine and Pain Procedures in Patients on Antiplatelet and Anticoagulant Medications." *Regional Anesthesia and Pain Medicine*, vol. 40, no. 3, 2015, pp. 182–212., doi:10.1097/aap.0000000000000223