

Perioperative Acute Kidney Injury: Diagnosis and Management

2021 - 2024

REFERENCES

1. Goren O and I Matot. Perioperative acute kidney injury. *Br J of Anaesth.* 2015;115:ii3-ii14.
2. Chertow GM, Burdick E, Honour M, et al. Acute kidney injury, mortality, length of stay, and costs in hospitalized patients. *J Am Soc Nephrol.* 2005;16:3365- 3370.
3. Bellomo R, Kellum JA, Ronco C. Defining and classifying acute renal failure: from advocacy to consensus and validation of the RIFLE criteria. *Intensive Care Med.* 2007;33:409-413.
4. Kellum JA, Lameire N,, Aspelin P, Barsoum, RS, et al. Kidney disease: Improving global outcomes (KDIGO) acute kidney injury work group. KDIGO clinical practice guideline for acute kidney injury. *Kidney International Supplements* 2012;2(1): 1-138
5. Bellomo R, Ronco C, Kellum JA, et al. Acute Dialysis Quality Initiative workgroup. Acute renal failure - definition, outcome measures, animal models, fluid therapy and information technology needs: the Second International Consensus Conference of the Acute Dialysis Quality Initiative (ADQI) Group. *Crit Care* (London, England). 2004;8:R204-212.
6. Bellomo R, Kellum JA, Ronco C. Acute kidney injury. *Lancet.* 2012; 380:756-66.
7. Binnenmars SH, Hijmans RS, Navis G, de Borst MH. Biomarkers of Renal Function: Towards Clinical Actionability. *Clin Pharmacol Ther.* 2017;102(3): 481-492
8. Meersch M, Schmidt C, and A Zarbock. Perioperative acute kidney injury: an under-recognized problem. *Anesth Analg.* 207;125:1223-32.
9. Carmichael P, Carmichael AR. Acute renal failure in the surgical setting. *ANZ J Surg.* 2003;73:144-153.
10. Rosner MH, Okusa MD. Acute kidney injury associated with cardiac surgery. *Clin J Am Soc Nephrol.* 2006;1:19-32.
11. Edwards A. 'Perioperative acute kidney injury' in Perioperative Assessment and Management, ed. Bobbiejean Sweitzer. 2018
12. Thakar, C. Perioperative acute kidney injury. *Advances in Chronic Kidney Disease.* 2013; 20(1):67-75.
13. Abelha, F. et al. Determinants of postoperative acute kidney injury. *Crit Care* 2009;13:R79.
14. Biteker, M. et al. Incidence, risk factors, and outcomes of perioperative acute kidney injury in noncardiac and nonvascular surgery. *Am J Surg* 2014;207: 53.
15. Bell et al. Risk of postoperative acute kidney injury in patients undergoing orthopaedic surgery. *BMJ.* 2015;351:h5639
16. Thakar CV, Worley S, Arrigain S, et al. Influence of renal dysfunction on mortality after cardiac surgery: modifying effect of preoperative renal function. *Kidney Int.* 2005;67:1112-1119.

17. Conlon PJ, Stafford-Smith M, White WD, et al. Acute renal failure following cardiac surgery. *Nephrol Dial Transplant*. 1999;14:1158-1162.
18. Kheterpal S, Tremper K, Heung M, et al. Development and validation of an acute kidney injury risk index for patients undergoing general surgery: results from a national data set. *Anesthesiology*. 2009;110: 505-515
19. Mehta R, Grab JD, O'Brien SM, et al. Cardiac surgery bedside tool for predicting the risk of postoperative dialysis in patients undergoing cardiac surgery. *Circulation*. 2006;114:2208-2216.
20. Thakar C, Arrigain S, Worley S, et al. A clinical score to predict acute renal failure after cardiac surgery. *JASN*. 2005;16:162-168.
21. Wijeyesundera D, Larlouti K, Dupuis JY, et al. Derivation and validation of a simplified predictive index for renal replacement therapy after cardiac surgery. *JAMA*. 2007;297:1801-1809.
22. Zacharias M, Gilmore IC, Herbison GP, et al. Interventions for protecting renal function in the perioperative period. *Cochrane Database Syst Rev*. 2005(3):CD003590.
23. Jarnberg PO. Renal protection strategies in the perioperative period. *Best Pract Res Clin Anaesthesiol*. 2004;18:645-660.
24. Tang IY, Murray PT. Prevention of perioperative acute renal failure: what works? *Best Pract Res Clin Anaesthesiol*. 2004;18:91-111.
25. Billings, F, Hendricks PA, Schildcrout JS et al. High dose perioperative atorvastatin and acute kidney injury following cardiac surgery: a randomized clinical trial. *JAMA*. 2016; 315:877-888.
26. Molnar AO, Coca SG, Devereaux PJ, et al. Statin use associates with a lower incidence of acute kidney injury after major elective surgery. *JASN*. 2011;22:939-946.
27. Lameire N, Vanholder R, Van Biesen W. Loop diuretics for patients with acute renal failure: helpful or harmful? *JAMA*. 2002;288:2599-2601.
28. Rahman SN, Conger JD. Glomerular and tubular factors in urine flow rates of acute renal failure patients. *Am J Kidney Dis*. 1994;23:788-793.
29. Ho KM, Sheridan DJ. Meta-analysis of frusemide to prevent or treat acute renal failure. *Br Med J*. 2006;333:420.
30. Mehta RL, Pascual MT, Soroko S, et al. Diuretics, mortality, and nonrecovery of renal function in acute renal failure. *JAMA*. 2002;288:2547-2553.
31. Lassnigg A, Donner E, Grubhofer G, et al. Lack of renoprotective effects of dopamine and furosemide during cardiac surgery. *J Am Soc Nephrol*. 2000;11:97-104.
32. Friedrich JO, Adhikari N, Herridge MS, Beyene J. Meta-analysis: low-dose dopamine increases urine output but does not prevent renal dysfunction or death. *Ann Intern Med*. 2005;142:510-524.
33. Kellum JA, Decker JM. Use of dopamine in acute renal failure: a meta-analysis. *Crit Care Med*. 2001;29:1526-1531.

34. Kidney Disease: Improving Global Outcomes (KDIGO) Acute Kidney Injury Work Group: KDIGO clinical practice guideline for acute kidney injury. *Kidney Int Suppl.* 2012;2:1-138.
35. Weisbord SD et al. Outcomes after Angiography with Sodium Bicarbonate and Acetylcysteine. *N Engl J Med.* 2018;378:603-14
36. Bove T, Zangrillo, A, Gurracino F. Effect of Fenoldopam on Use of Renal Replacement Therapy Among Patients with Acute Kidney Injury After Cardiac Surgery. *JAMA.* 2014;312(21):2244-2253
37. Gillies MA, Kakar V, Parker, RJ, Honore PM, Ostermann M. Fenoldopam to prevent acute kidney injury after major surgery – a systematic review and meta-analysis. *Critical Care.* 2015;19:449
38. Ji F, Li Z, Young JN, Yeranossian A, Liu H. Post bypass dexmedetomidine use and postoperative acute kidney injury in patients undergoing cardiac surgery with cardiopulmonary bypass. *PLoS One.* 2013;8:e77446.
39. Xue F, Zhang W, Chu HC. Assessing perioperative dexmedetomidine reduces the incidence and severity of acute kidney injury following valvular heart surgery. *Kidney Int.* 2016;89:1164.
40. Kwiatkowski DM, Axelrod DM, Sutherland SM, Tesoro TM, Krawczeski CD. Dexmedetomidine is associated with lower incidence of acute kidney injury after congenital heart surgery. *Pediatr Crit Care Med.* 2016;17: 128-134.
41. Cho JS, Shim JK, Soh S, Kim MK, Kwak YL. Perioperative dexmedetomidine reduces the incidence and severity of acute kidney injury following valvular heart surgery. *Kidney Int.* 2016;89:693-700.
42. Meersch M, Schmidt C, Hoffmeier A, et al. Prevention of cardiac surgery-associated AKI by implementing the KDIGO guidelines in high risk patients identified by biomarkers: the PrevAKI randomized controlled trial. *Intensive Care Med.* 2017.
43. Sun LY, Wijesundera DN, Tait GA, Beattie WS. Association of intraoperative hypotension with acute kidney injury after elective noncardiac surgery. *Anesthesiology.* 2015;123:515-23.
44. Yunus NM, Bellomo R, Hegarty C, Story D, Ho L et al. Association between a chloride liberal versus chloride restrictive intravenous fluid administration strategy and kidney injury in critically ill adults. *JAMA.* 2012;308:1566-72.
45. Matot I, Paskaleva R, Eid L, et al. Effect of the volume of fluids administered on intraoperative oliguria in laparoscopic bariatric surgery: a randomized controlled trial. *Arch Surg.* 2012; 147:228-34.
46. Matot I, Dery E, Bulgov Y, Cohen B, Paz J, Nesher N. Fluid management during video assisted thorascopic surgery for lung resection: a randomized controlled trial of effects on urinary output and postoperative renal function. *J Thorac Cardiovasc Surg.* 2013;146:461-66.
47. Walsh M, Garg AX, Devereaux PJ, Argalious M, HONar H, Sessler DI. The association between perioperative hemoglobin and acute kidney injury in patients having noncardiac surgery. *Anesth Analg.* 2013;117:924-931.

48. Karkhouthi K. Transfusion and risk of acute kidney injury in cardiac surgery. *Br J Anaesth*. 2012; 109:i29-38.
49. Karkouti K, Grocott HP, Hall R, et al. Interrelationship of preoperative anemia, intraoperative anemia, and red blood cell transfusion as potentially modifiable risk factors for acute kidney injury in cardiac surgery: a historical multicenter cohort study. *Can J Anesth*. 2014;62:377-84.
50. Ostermann M and M Joannidis. Acute kidney injury 2016: diagnosis and diagnostic workup. *Critical Care*. (2016)20:299.
51. Wald R. Urinalysis in the diagnosis of kidney disease. In: *UpToDate*. Curhan GC, ed. UpToDate. Waltham, MA: 2019. Available from <https://www.uptodate.com/contents/urinalysis-in-the-diagnosis-of-kidney-disease>
52. Pepin MN, Bouchard J, Legault L, Ethier J. Diagnostic performance of fractional excretion of urea and fractional excretion of sodium in the evaluations of patients with acute kidney injury with or without diuretic treatment. *Am J Kidney Dis*. 2007;50:566-573.
53. Fang LS, Sirota RA, Ebert TH, Lichtenstein NS. Low fractional excretion of sodium with contrast media induced acute renal failure. *Arch Intern Med*. 1980;140:531-33.
54. Bagshaw SM, Langenberg C, Wan L, et al. A systematic review of urinary findings in experimental septic acute renal failure. *Crit Care Med*. 2007;35:1592-1598.
55. Licurse A, Kim MC, Dziura J, et al. Renal ultrasonography in the evaluation of acute kidney injury: developing a risk stratification framework. *Arch Intern Med*. 2010;170:1900-1907.
56. Albright RC Jr. Acute renal failure: a practical update. *Mayo Clin Proc*. 2001;76:67-74.
57. Hilton R. Acute renal failure. *Br Med J*. 2006;333:786-790.
58. Lameire N, Van Biesen W, Vanholder R. Acute renal failure. *Lancet*. 2005;365:417-430.
59. Singri N, Ahya SN, Levin ML. Acute renal failure. *JAMA*. 2003;289:747-751.
60. Weisbord SD, Palevsky PM. Acute renal failure in the intensive care unit. *Semin Respir Crit Care Med*. 2006;27:262-273.
61. Shiffermiller JF, et al., Prospective Randomized Evaluation of Preoperative Angiotensin-Converting Enzyme Inhibition (PREOP-ACEI). *J Hosp Med*. 2018;13(10):661-667
62. Roshanov PS et al., Withholding versus Continuing Angiotensin-converting Enzyme Inhibitors or Angiotensin II Receptor Blockers before Noncardiac Surgery: An Analysis of the Vascular events In noncardiac Surgery patlents cOhort evaluation Prospective Cohort (VISION). *Anesthesiology*. 2017;126:16-27.
63. Nielson E. et al., Angiotensin axis blockade, hypotension, and acute kidney injury in elective major orthopedic surgery. *J Hosp Med*. 2014;9(5):283-8.
64. Li, Z, Cai L, Liang X, Du Z, Chen Y, et al. Identification and Predicting Short-Term Prognosis of Early Cardiorenal Syndrome Type 1: KDIGO is Superior to RIFLE or AKIN. *PLoS ONE*. 2014; 9(12):e114369

65. Tsai TY, Chien H, Tsai FC, Pan HC, Yang HY, Lee SY, Hsu HH, Fang JT, Yang CW, Chen YC. Comparison of RIFLE, AKIN, and KDIGO classifications for assessing prognosis of patients on extracorporeal membrane oxygenation. *J Formos Med Assoc.* 2017 Nov;116(11):844-851.