

Prevention and Treatment of Surgical Site Infections

(2020-2023)

REFERENCES

1. Mangram AJ, Horan TC, Pearson ML, et al. Guideline for prevention of surgical site infection, 1999. Hospital Infection Control Practices Advisory Committee. *Infect Control Hosp Epidemiol*. 1999;20:250-278.
2. Carlo A. The new era of flash sterilization. *AORN J*. 2007;86:58-68.
3. Kjonniksen I, Andersen BM, Sondenaa VG, Segadal L. Preoperative hair removal-a systematic literature review. *AORN J*. 2002;75:928-938, 940.
4. Kurz A, Sessler DI, Lenhardt R. Perioperative normothermia to reduce the incidence of surgical-wound infection and shorten hospitalization. Study of Wound Infection and Temperature Group. *N Engl J Med*. 1996;334:1209-1215.
5. Bu N, Zhao E, Gao Y, Zhao S, Bo W, Kong Z, Wang Q, Gao W. Association between perioperative hypothermia and surgical site infection: A meta-analysis. *Medicine (Baltimore)*. 2019;98(6):e14392.
6. Myles PS, Iacono GA, Hunt JO, et al. Risk of respiratory complications and wound infection in patients undergoing ambulatory surgery: smokers versus nonsmokers. *Anesthesiology*. 2002;97:842-847.
7. Perl TM, Cullen JJ, Wenzel RP, et al. Intranasal mupirocin to prevent postoperative Staphylococcus aureus infections. *N Engl J Med*. 2002;346:1871-1877.
8. Talbot TR. Diabetes mellitus and cardiothoracic surgical site infections. *Am J Infect Control*. 2005;33:353-359.
9. Latham R, Lancaster AD, Covington JF, et al. The association of diabetes and glucose control with surgical-site infections among cardiothoracic surgery patients. *Infect Control Hosp Epidemiol*. 2001;22:607-612.
10. Devaney L, Rowell KS. Improved surgical wound classification-why it matters. *AORN J*. 2004;80:208-299, 212-223.
11. Bratzler DW, Dellinger EP, Olsen KM, et al; American Society of Health-System Pharmacists; Infectious Disease Society of America; Surgical Infection Society; Society for Healthcare Epidemiology of America; Clinical practice guidelines for antimicrobial prophylaxis in surgery. *Am J Health Syst Pharm*. 2013;70:195-283.
12. Weiner, LM, Sievert, DM et al. Antimicrobial-Resistant Pathogens Associated With Healthcare-Associated Infections: Summary of Data Reported to the National Healthcare Safety Network at the Centers for Disease Control and Prevention, 2011–2014. *Infect Control Hosp Epidemiol*. 2016;37:1288-130.
13. Macy E, Burchette RJ . Oral antibiotic adverse reactions after penicillin skin testing: multi-year follow-up. *Allergy*. 2002;57(12):1151-1158.
14. Benjamin B. L. Wong, MD, FRCPC; Paul K. Keith, MD, FRCPC; and Susan Waserman, MD, FRCPC: Clinical history as a predictor of penicillin skin test outcome. *Annals of Allergy, Asthma, and Immunology*. August 2016; 97:169-174.

15. Blumenthal KG, Ryan EE, Li, Y, Lee, H, Kyhlen JL, Shenoy ES. The Impact of a Reported Penicillin Allergy in Surgical Site Infection Risk. *Clin Infect Dis.* 201; Jan 18;66(3):329-336.
16. Anderson DJ, et al. Strategies to prevent surgical site infections in acute care hospitals: 2014 update. *Infect Control Hosp Epidemiol.* 2014 Jun;35(6):605-27.
17. Finkelstein R, Rabino G, Mashiah T, et al. Vancomycin versus cefazolin prophylaxis for cardiac surgery in the setting of a high prevalence of methicillin-resistant staphylococcal infections. *J Thorac Cardiovasc Surg.* 2002;123:326-332.
18. Garey KW, Lai D, Dao-Tran TK, et al. Interrupted time series analysis of vancomycin compared to cefuroxime for surgical prophylaxis in patients undergoing cardiac surgery. *Antimicrob Agents Chemother.* 2008;52:446-451.
19. Bratzler DW, Hunt DR. The surgical infection prevention and surgical care improvement projects: national initiatives to improve outcomes for patients having surgery. *Clin Infect Dis.* 2006;43:322-330.
20. Bratzler DW, Houck PM. Antimicrobial prophylaxis for surgery: an advisory statement from the National Surgical Infection Prevention Project. *Clin Infect Dis.* 2004;38:1706-1715.
21. Forse RA, Karam B, MacLean LD, Christou NV. Antibiotic prophylaxis for surgery in morbidly obese patients. *Surgery.* 1989;106:750-756.
22. McDonald M, Grabsch E, Marshall C, Forbes A. Single- versus multiple-dose antimicrobial prophylaxis for major surgery: a systematic review. *Aust N Z J Surg.* 1998;68:388-396.
23. Harbarth S, Samore MH, Lichtenberg D, Carmeli Y. Prolonged antibiotic prophylaxis after cardiovascular surgery and its effect on surgical site infections and antimicrobial resistance. *Circulation.* 2000;101:2916-2921.
24. Sandoe JA, Kumar B, Stoddart B, et al. Effect of extended perioperative antibiotic prophylaxis on intravascular catheter colonization and infection in cardiothoracic surgery patients. *J Antimicrob Chemother.* 2003;52:877-879.
25. Edwards FH, Engelman RM, Houck P, et al. The Society of Thoracic Surgeons Practice Guideline Series: Antibiotic Prophylaxis in Cardiac Surgery, Part I:Duration. *Ann Thorac Surg.* 2006;81:397-404.
26. Berios-Torres SI, Umscheid CA, Bratzler DW, et al. Centers for Disease Control and Prevention Guideline for the Prevention of Surgical Site Infection, 2017. *JAMA Surg.* 2017;152(8):784-7912.
27. Darouiche RO, Wall Jr. MJ, Itani KMF, et al. Chlorhexidine-alcohol versus povidone-iodine for surgical-site antisepsis. *N Engl J Med.* 2010;362;18-26.
28. Misteli H, Weber WP, Reck S, et al. Surgical glove perforation and the risk of surgical site infection. *Arch Surg.* 2009;144:553-558.
29. Alexander JW, Fischer JE, Boyajian M, et al. The influence of hair-removal methods on wound infections. *Arch Surg.* 1983;118:347-352.
30. Zerr KJ, Furnary AP, Grunkemeier GL, et al. Glucose control lowers the risk of wound infection in diabetics after open heart operations. *Ann Thorac Surg.* 1997;63:356-361.

31. Furnary AP, Zerr KJ, Grunkemeier GL, Starr A. Continuous intravenous insulin infusion reduces the incidence of deep sternal wound infection in diabetic patients after cardiac surgical procedures. *Ann Thorac Surg.* 1999;67:352-360.
32. Gandhi GY, Nutall GA, McMahan MM, et al. Intensive Intraoperative Insulin Therapy versus Conventional Glucose Management During Cardiac Surgery: A Randomized Trial. *Ann Intern Med.* 2007 Feb 20;146(4): 233-43.
33. Chan RP, Galas FR, Hajjar LA, Bello CN, Piccioni MA, Auler JO Jr. Intensive Perioperative Glucose Control Does Not Improve Outcomes of Patients Submitted to Open-Heart Surgery: A Randomized Controlled Trial. *Clinics (Sao paulo)* 2009;64(1):51-60
34. Ban KA, Ko CY, Duane TM, et al. American College of Surgeons and Surgical Infection Society: Surgical Site Infection Guidelines, 2016 Update. *J AM Coll Surg.* 2017;224(1): 59-74.
35. Singh JA, Schleck C, Harmsen WS, et al. Current tobacco use is associated with higher rates of implant revision and deep infection after total hip or knee arthroplasty: a prospective cohort study. *BMC Med.* 2015;13:283.
36. Sorensen, LT. Wound Healing and Infection in Surgery The Clinical Impact of Smoking and Smoking Cessation: A Systematic Review and Meta-analysis. *Arch Surg.* 2012;147(4):373-383.
37. Greif R, Akca O, Horn EP, et al. Supplemental perioperative oxygen to reduce the incidence of surgical-wound infection. Outcomes Research Group. *N Engl J Med.* 2000;342:161-167.
38. Pryor KO, Fahey TJ, 3rd, Lien CA, Goldstein PA. Surgical site infection and the routine use of perioperative hyperoxia in a general surgical population: a randomized controlled trial. *JAMA.* 2004;291:79-87.
39. Belda FJ, Aguilera L, Garcia de la Asuncion J, et al. Supplemental perioperative oxygen and the risk of surgical wound infection: a randomized controlled trial. *JAMA.* 2005;294:2035-2042.
40. Dellinger EP. Increasing inspired oxygen to decrease surgical site infection: time to shift the quality improvement research paradigm. *JAMA.* 2005;294:2091-2092.
41. Harbarth S, Huttner B, Bervaz P, et al. Risk factors for methicillin resistant *Staphylococcus aureus* surgical site infection. *Infect Control Hosp Epidemiol.* 2008;29:890-893.
42. Bode LGM, Kluytmans JAJW, Wertheim HFL, et al. Preventing surgical-site infections in nasal carriers of *Staphylococcus aureus*. *N Engl. J Med.* 2010;362:9-17.
43. Bassett HFM, Ferguson WG, Hoffman E, et al. Sources of staphylococcal infection in surgical wound sepsis. *J Hygiene.* 1963;67:49-57.
44. White A. Increased infection rates in heavy nasal carriers of coagulase-positive staphylococci. *Antimicrob Agents Chemother.* 1964;1963:667-670.
45. Williams REO, Jevons MP, Shooter RA, et al. Nasal staphylococci and sepsis in hospital patients. *Br Med J.* 1959;2:658-662.
46. Incidence of surgical wound infection in England and Wales. A report of the Public Health Laboratory Service. *Lancet.* 1960;2:659-663.
47. McNeill IF, Porter IA, Green CA. Staphylococcal infection in a surgical ward. *Br Med J.* 1961;2:798-802.

48. Henderson RJ, Williams REO. Nasal disinfection in prevention of postoperative staphylococcal infection of wounds. *Br Med J*. 1961;2:330-333.
49. Calia FM, Wolinsky E, Mortimer EA Jr, Rammelkamp CH Jr. Importance of the carrier state as a source of *Staphylococcus aureus* in wound sepsis. *J Hygiene*. 1969;67:49-57.
50. Wenzel RP, Perl TM. The significance of nasal carriage of *Staphylococcus aureus* and the incidence of postoperative wound infection. *J Hosp Infect*. 1995;31:13-24.
51. Holton DL, Nicolle LE, Diley D, Bernstein K. Efficacy of mupirocin nasal ointment in eradication *Staphylococcus aureus* nasal carriage in chronic haemodialysis patients. *J Hosp Infect*. 1991;17:133-137.
52. Konvalinka A, Errett L, Fong IW. Impact of treating *Staphylococcus aureus* nasal carriers on wound infections in cardiac surgery. *J Hosp Infect*. 2006;64:162-168.
53. Kalmeijer MD, Coertjens H, van Nieuwland-Bollen PM. Surgical site infections in orthopedic surgery: the effect of mupirocin nasal ointment in a double-blind, randomized, placebo-controlled study. *Clin Infect Dis*. 2002;35:353-358.
54. Wilcox MH, Hall J, Pike H. Use of perioperative mupirocin to prevent methicillin-resistant *Staphylococcus aureus* (MRSA) orthopaedic surgical site infections. *J Hosp Infect*. 2003;54:196- 201.
55. Jog S, Cunningham R, Cooper S. Impact of preoperative screening for methicillin-resistant *Staphylococcus aureus* by real-time polymerase chain reaction in patients undergoing cardiac surgery. *J Hosp Infect*. 2008;69:124-130.
56. Perl TM, Cullen JJ, Wenzel RP, et al. Intranasal mupirocin to prevent postoperative *Staphylococcus aureus* infections. *N Engl J Med*. 2002;346:1871-1877.
57. Laupland KB, Conly JM. Treatment of *Staphylococcus aureus* colonization and prophylaxis for infection with topical intranasal mupirocin: an evidence-based review. *Clin Infect Dis*. 2003;37:933-938.
58. Trautmann M, Stecher J, Hemmer W, et al. Intranasal mupirocin prophylaxis in elective surgery. *Chemotherapy*. 2008;54:9-16.
59. Rijen MML, Bonten M, Wenzel RP, Kluytmans JA. Intranasal mupirocin for reduction of *Staphylococcus aureus* infections in surgical patients with nasal carriage: a systematic review. *J Antimicrobial Chemo*. 2008;61:254-261.
60. Harbarth S, Fankhauser C, Schrenzel J, et al. Universal Screening for methicillin-resistant *Staphylococcus aureus* at hospital admission and nosocomial infection in surgical patients. *JAMA*. 2008;299:1149-1157.
61. Segers P, Speekenbrink RG, Ubbink DT, et al. Prevention of nosocomial infection in cardiac surgery by decontamination of the nasopharynx and oropharynx with chlorhexidene gluconate: a randomized controlled trial. *JAMA*. 2006;296:2460-2466.
62. Schweizer ML, Chiang HY, Septimus E, et al. Association of a bundled intervention with surgical site infections among patients undergoing cardiac, hip, or knee surgery. *JAMA*. 2015;313:2162-2171.
63. Engoren M. Lack of association between atelectasis and fever. *Chest*. 1995;107(1):81.
64. Huizinga WK, Kritzing NA, Bhamjee A. The value of adjuvant systemic antibiotic therapy in localized wound infections among hospital patients: a comparative study. *J Infect*. 1986;13:11-16.

65. Stevens DL, Bisno AL, Chambers HF, et al. Practice Guidelines for the diagnosis and management of skin and soft-tissue infections: 2014 update by the Infectious Diseases Society of America. *Clin Infect Dis*. 2014;59:147-159.