

Management of Postoperative Atrial Fibrillation
(2019-2022)

REFERENCES

1. Walsh SR, Tang T, Wijewardena C, et al. Postoperative arrhythmias in general surgical patients. *Ann R Coll Surg Engl.* 2007;89:91-95.
2. Mathew JP, Fontes ML, Tudor IC, et al. A multicenter risk index for atrial fibrillation after cardiac surgery. *JAMA.* 2004;291:1720-1729.
3. Andrews TC, Reimold SC, Berlin JA, Antman EM. Prevention of supraventricular arrhythmias after coronary artery bypass surgery. A meta-analysis of randomized control trials. *Circulation.* 1991;84(5 suppl):III236-244.
4. Maisel WH, Rawn JD, Stevenson WG. Atrial fibrillation after cardiac surgery. *Ann Intern Med.* 2001;135:1061-1073.
5. Bhave PD, Goldman LE, Vittinghoff E, et al. Incidence, predictors, and outcomes associated with postoperative atrial fibrillation after major noncardiac surgery. *Am Heart J.* 2012;164:918-924.
6. Goldman L. Supraventricular tachyarrhythmias in hospitalized adults after surgery. Clinical correlates in patients over 40 years of age after major noncardiac surgery. *Chest.* 1978;73:450-454.
7. Polanczyk CA, Goldman L, Marcantonio, et al. Supraventricular arrhythmia in patients having noncardiac surgery: clinical correlates and effect on length of stay. *Ann Intern Med.* 1998;129:279-285.
8. Kahn RL, Hargett MJ, Urquhart B, et al. Supraventricular tachyarrhythmias during total joint arthroplasty. Incidence and risk. *Clin Orthop Relat Res.* 1993;296:265-269.
9. Brathwaite D, Weissman C. The new onset of atrial arrhythmias following major noncardiothoracic surgery is associated with increased mortality. *Chest.* 1998;114:462-468.
10. Batra GS, Molyneux J, Scott NA. Colorectal patients and cardiac arrhythmias detected on the surgical high dependency unit. *Annals of the Royal College of Surgeons of England.* 2001; 83: 174-6.
11. Walsh SR, Oates JE, Anderson JA, et al. Postoperative arrhythmias in colorectal surgical patients: incidence and clinical correlates. *Colorectal disease : the official journal of the Association of Coloproctology of Great Britain and Ireland.* 2006; 8: 212-6.
12. Passman RS, Gingold DS, Amar D, et al. Prediction rule for atrial fibrillation after major noncardiac thoracic surgery. *Ann Thorac Surg.* 2005;79:1698-1703.
13. Valentine RJ, Rosen SF, Cigarroa JE, et al. The clinical course of new-onset atrial fibrillation after elective aortic operations. *J Am Coll Surg.* 2001;193:499-504.
14. Vaporciyan AA, Correa AM, Rice DC, et al. Risk factors associated with atrial fibrillation after noncardiac thoracic surgery: analysis of 2588 patients. *J Thorac Cardiovasc Surg.* 2004;127:779-786.
15. Benjamin EJ, Levy D, Vaziri SM, et al. Independent risk factors for atrial fibrillation in a population based cohort: the Framingham Heart Study. *JAMA.* 1994;271:840-844.
16. Kaw R, Hernandez AV, Masood I, et al. Short- and long-term mortality associated with new onset atrial fibrillation after coronary artery bypass grafting: a systemic review and meta-analysis. *J Thorac Cardiovasc Surg.* 2011;141:1305-1312.

17. Paulus Kirchhof, Stefano Benussi, Dipak Kotecha, Anders Ahlsson, Dan Atar, Barbara Casadei, Manuel Castella, Hans-Christoph Diener, Hein Heidbuchel, Jeroen Hendriks, Gerhard Hindricks, Antonis S Manolis, Jonas Oldgren, Bogdan Alexandru Popescu, Ulrich Schotten, Bart Van Putte, Panagiotis Vardas, ESC Scientific Document Group, 2016 ESC Guidelines for the management of atrial fibrillation developed in collaboration with EACTS, *European Heart Journal*, Volume 37, Issue 38, 7 October 2016, Pages 2893–2962, <https://doi.org/10.1093/eurheartj/ehw210>
18. Arsenault KA, Yusuf AM, Crystal E, Healey JS, Morillo CA, Nair GM. Interventions for preventing post-operative atrial fibrillation in patients undergoing heart surgery. *Cochrane Database Syst Rev* 2013;1: Cd003611.
19. Khan MF, Wendel CS, Movahed MR. Prevention of post-coronary artery bypass grafting (CABG) atrial fibrillation: efficacy of prophylactic beta-blockers in the modern era: a meta-analysis of latest randomized controlled trials. *Ann Noninvasive Electrocardiol* 2013;18:58–68.
20. January CT, Wann LS, Alpert JS, et al. 2014 AHA/ACC/HRS guideline for the management of patients with atrial fibrillation: a report of the American College of Cardiology/American Heart Association Task Force on practice guidelines and the Heart Rhythm Society. *Circulation*. 2014 Dec 2;130(23):e272-4].
21. Imazio M, Brucato A, Ferrazzi P, et al. Colchicine reduces postoperative atrial fibrillation: results of the Colchicine for the Prevention of the Postpericardiotomy Syndrome (COPPS) atrial fibrillation substudy. *Circulation* 2011;124:2290–5.
22. Liakopoulos OJ, Kuhn EW, Slottosch I, et al. Preoperative statin therapy for patients undergoing cardiac surgery. *Cochrane Database Syst Rev* 2012;(4): CD008493.
23. Zheng Z, Jayaram R, Jiang L, Emberson J, Zhao Y, Li Q et al. Perioperative Rosuvastatin in Cardiac Surgery. *N Engl J Med* 2016;374: 1744–1753.
24. Hillis DL, Smith PK, Anderson, et al. 2011 ACCF/AHA guideline for coronary artery bypass graft surgery. *J Am Coll Cardiol*. 2011;58:e123-e210.
25. Fernando HC, Jaklitsch MT, Walsh GL, et al. The Society of Thoracic Surgeons practice guideline on the prophylaxis and management of atrial fibrillation associated with general thoracic surgery: executive summary. *Ann Thorac Surg*. 2011;92(3):1144-52.
26. Frendl G, Sodickson AC, Chung MK, et al. 2014 AATS guidelines for the prevention and management of perioperative atrial fibrillation and flutter for thoracic surgical procedures. *J Thorac Cardiovasc Surg*. 2014;148(3):e153-93.
27. Kirchhof P, Ammentorp B, Darius H, De Caterina R, Le Heuzey JY, Schilling RJ et al. Management of atrial fibrillation in seven European countries after the publication of the 2010 ESC Guidelines on atrial fibrillation: primary results of the PREvention oF thromboembolic events—European Registry in Atrial Fibrillation (PREFER in AF). *Europace* 2014;16:6–14.
28. Freeman JV, Simon DN, Go AS, Spertus J, Fonarow GC, Gersh BJ et al. Outcomes Registry for Better Informed Treatment of Atrial Fibrillation (ORBIT-AF) Investigators and Patients. Association Between Atrial Fibrillation Symptoms, Quality of Life, and Patient Outcomes: Results From the Outcomes Registry for Better Informed Treatment of Atrial Fibrillation (ORBIT-AF). *Circ Cardiovasc Qual Outcomes* 2015;8: 393–402.

29. Wynn GJ, Todd DM, Webber M, Bonnett L, McShane J, Kirchhof P. The European Heart Rhythm Association symptom classification for atrial fibrillation: validation and improvement through a simple modification. *Europace* 2014;16:965–972.
30. Villareal RP, Hariharan R, Liu BC, et al. Post-operative atrial fibrillation and mortality after coronary artery bypass surgery. *J Am Coll Cardiol* 2004;43:742–8.
31. Steinberg BA, Zhao Y, He X, et al. Management of postoperative atrial fibrillation and subsequent outcomes in contemporary patients undergoing cardiac surgery: insights from the Society of Thoracic Surgeons CAPS-Care Atrial Fibrillation Registry. *Clin Cardiol* 2014;37:7–13.
32. Horwich P, Butth KJ, Legare JF. New onset postoperative atrial fibrillation is associated with a long-term risk for stroke and death following cardiac surgery. *J Card Surg* 2013;28: 8–13.
33. Mariscalco G, Klersy C, Zanobini M, et al. Atrial fibrillation after isolated coronary surgery affects late survival. *Circulation* 2008;118:1612–8.
34. Kosmidou I, Chen S, Kappetein AP, et al. New-onset atrial fibrillation after PCI or CABG for left main disease: The EXCEL Trial. *J Am Coll Cardiol* 2018;71:739–48.
35. Saxena A, Dinh DT, Smith JA, Shardey GC, Reid CM, Newcomb AE. Usefulness of postoperative atrial fibrillation as an independent predictor for worse early and late outcomes after isolated coronary artery bypass grafting (multicenter Australian study of 19,497 patients). *Am J Cardiol* 2012;109:219–225.
36. Gialdini G, Nearing K, Bhave PD, Bonuccelli U, Iadecola C, Healey JS. Perioperative atrial fibrillation and the long-term risk of ischemic stroke. *JAMA* 2014;312:616–622.
37. Ahlsson A, Fengsrud E, Bodin L, Englund A. Postoperative atrial fibrillation in patients undergoing aortocoronary bypass surgery carries an eightfold risk of future atrial fibrillation and a doubled cardiovascular mortality. *Eur J Cardiothorac Surg.* 2010;37:1353-1359.
38. Butt JH, Olesen JB, Havers-borgersen E, et al. Risk of Thromboembolism Associated With Atrial Fibrillation Following Noncardiac Surgery. *J Am Coll Cardiol.* 2018;72(17):2027-2036.
39. Chen LY, Chung MK, Allen LA, et al. Atrial Fibrillation Burden: Moving Beyond Atrial Fibrillation as a Binary Entity: A Scientific Statement From the American Heart Association. *Circulation.* 2018;137(20):e623-e644.
40. Vanassche T, Lauw MN, Eikelboom JW, et al. Risk of ischaemic stroke according to pattern of atrial fibrillation: analysis of 6563 aspirin-treated patients in ACTIVE-A and AVERROES. *Eur Heart J.* 2015;36(5):281-7a.
41. Van Gelder IC, Healey JS, Crijns HJGM, Wang J, Hohnloser SH, Gold MR, Capucci A, Lau CP, Morillo CA, Hobbel AH, Rienstra M, Connolly SJ. Duration of device-detected subclinical atrial fibrillation and occurrence of stroke in ASSERT. *Eur Heart J.* 2017;38:1339–1344
42. Sanna T, Diener HC, Passman RS, Di Lazzaro V, Bernstein RA, Morillo CA, Rymer MM, Thijs V, Rogers T, Beckers F, Lindborg K, Brachmann J; CRYSTAL AF Investigators. Cryptogenic stroke and underlying atrial fibrillation. *N Engl J Med.* 2014;370:2478–2486. doi: 10.1056/ NEJMoa1313600.
43. Turakhia MP, Ziegler PD, Schmitt SK, Chang Y, Fan J, Than CT, Keung EK, Singer DE. Atrial fibrillation burden and short-term risk of stroke: case-crossover analysis of continuously recorded heart rhythm from cardiac electronic implanted devices. *Circ Arrhythm Electrophysiol.* 2015;8: 1040–1047.

44. Borian G, Glotzer TV, Santini M, West TM, De Melis M, Sepsi M, Gasparini M, Lewalter T, Camm JA, Singer DE. Device-detected atrial fibrillation and risk for stroke: an analysis of >10,000 patients from the SOS AF project (Stroke preventiOn Strategies based on Atrial Fibrillation information from implanted devices). *Eur Heart J.* 2014;35:508–516
45. Mathew JP, Parks R, Savino JS, et al. Atrial fibrillation following coronary artery bypass graft surgery: predictors, outcomes, and resource utilization. Multicenter Study of Perioperative ischemia Research Group. *JAMA.* 1996;276:300-306.
46. Mariscalco G, Klersy C, Zanobini M, et al. Atrial fibrillation after coronary surgery affects late survival. *Circulation.* 2008; 118: 1612-1618.
47. January CT, Wann LS, Alpert JS, et al. 2014 AHA/ACC/HRS guideline for the management of patients with atrial fibrillation: executive summary: A report of the American College of Cardiology/American Heart Association Task Force on practice guidelines and the Heart Rhythm Society. *Circulation.* 2014;130:2071-2104.
48. Kowey PR, Stebbins D, Igidbashian L, et al. Clinical outcome of patients who develop PAF after CABG surgery. *Pacing Clin Electrophysiol.* 2001;24:191-193.
49. Lee JK, Klein GJ, Krahn AD, et al. Rate control versus conversion strategy in postoperative atrial fibrillation: a prospective, randomized pilot study. *Am Heart J.* 2000;140:1-7.
50. Yilmaz AT, Demirkilic U, Arslan M, et al. Long-term prevention of atrial fibrillation after coronary bypass surgery: comparison of quinidine, verapamil, and amiodarone in maintaining sinus rhythm. *J Card Surg.* 1996;11:61-64.
51. Landymore RW, Howell F. Recurrent atrial arrhythmias following treatment for postoperative atrial fibrillation after coronary bypass operations. *Eur J Cardiothorac Surg.* 1991;5:436-439.
52. Van Gelder IC, Groenveld HF, Crijns HJM, et al. Lenient versus strict rate control in patients with atrial fibrillation. *N Engl J Med.* 2010;362:1363-1373.
53. January CT, Wann LS, Calkins H, et al. 2019 AHA/ACC/HRS Focused Update of the 2014 AHA/ACC/HRS Guideline for the Management of Patients With Atrial Fibrillation: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines and the Heart Rhythm Society. *J Am Coll Cardiol.* 2019;
54. Pisters R, Lane DA, Nieuwlaat R, De vos CB, Crijns HJ, Lip GY. A novel user-friendly score (HAS-BLED) to assess 1-year risk of major bleeding in patients with atrial fibrillation: the Euro Heart Survey. *Chest.* 2010;138(5):1093-100.
55. Muehlschlegel DJ, Burrage PS, Nagai JY, et al. Society of Cardiovascular Anesthesiologists/European Association of Cardiothoracic Anaesthetists Practice Advisory for the Management of Perioperative Atrial Fibrillation in Patients Undergoing Cardiac Surgery. *Anesthesia & Analgesia.* 2019;128(1):33-42.