

Diagnosis And Management Of Acute Mental Status Changes: Delirium

2022-2025

REFERENCES

- 1.** Inouye SK, van Dyck CH, Alessi CA, et al. Clarifying confusion: the confusion assessment method. A new method for detection of delirium. *Ann Intern Med.* 1990;113:941-948.
- 2.** American Psychiatric Association. Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition. 5th ed. Washington, DC: American Psychiatric Association; 2013.
- 3.** Wong CL, Holroyd-Leduc J, Simel DL, Straus SE. Does this patient have delirium? *JAMA.* 2010;304:779-786.
- 4.** Fick DM, Agostini JV, Inouye SK. Delirium superimposed on dementia: a systematic review. *J Am Geriatr Soc.* 2002;50:1723-1732.
- 5.** Marcantonio ER, Goldman L, Mangione CM, et al. A clinical prediction rule for delirium after elective noncardiac surgery. *JAMA.* 1994;271:134-139.
- 6.** Practice guideline for the treatment of patients with delirium. American Psychiatric Association. *Am J Psychiatry.* 1999;156(5 suppl):1-20.
- 7.** Inouye SK. Delirium in older persons. *N Engl J Med.* 2006;354:1157-1165.
- 8.** Meagher DJ. Delirium: optimising management. *BMJ.* 2001;322:144-149.
- 9.** Inouye SK, Charpentier PA. Precipitating factors for delirium in hospitalized elderly persons. Predictive model and interrelationship with baseline vulnerability. *JAMA.* 1996;275:852-857.
- 10.** Elie M, Cole MG, Primeau FJ, Bellavance F. Delirium risk factors in elderly hospitalized patients. *J Gen Intern Med.* 1998;13:204-212.
- 11.** Inouye SK, Bogardus ST, Jr, Charpentier PA, et al. A multicomponent intervention to prevent delirium in hospitalized older patients. *N Engl J Med.* 1999;340:669-676.
- 12.** Marcantonio ER, Flacker JM, Wright RJ, Resnick NM. Reducing delirium after hip fracture: a randomized trial. *J Am Geriatr Soc.* 2001;49:516-522.
- 13.** Naughton BJ, Saltzman S, Ramadan F, et al. A multifactorial intervention to reduce prevalence of delirium and shorten hospital length of stay. *J Am Geriatr Soc.* 2005;53:18-23.
- 14.** Michaud L, Bula C, Berney A, et al. Delirium: guidelines for general hospitals. *J Psychosom Res.* 2007;62:371-383.
- 15.** Kalisvaart KJ, de Jonghe JF, Bogaards MJ, et al. Haloperidol prophylaxis for elderly hip surgery patients at risk for delirium: a randomized placebo-controlled study. *J Am Geriatr Soc.* 2005;53:1658-1666.
- 16.** Roden DM. Drug-induced prolongation of the QT interval. *N Engl J Med.* 2004;350:1013-1022.

- 17.** Brigham and Women's Hospital Delirium Task Force. Acute Hospital Acquired Delirium Guidelines. Boston, MA; 2007.
- 18.** Lacasse H, Perreault MM, Williamson DR. Systematic review of antipsychotics for the treatment of hospital-associated delirium in medically or surgically ill patients. *Ann Pharmacother*. 2006;40:1966-1973.
- 19.** Ozbolt LB, Paniagua MA, Kaiser RM. Atypical antipsychotics for the treatment of delirious elders. *J Am Med Dir Assoc*. 2008;9:18-28.
- 20.** Rea RS, Battistone S, Fong JJ, Devlin JW. Atypical antipsychotics versus haloperidol for treatment of delirium in acutely ill patients. *Pharmacotherapy*. 2007;27:588-594.
- 21.** Lonergan E, Britton AM, Luxenberg J, Wyller T. Antipsychotics for delirium. *Cochrane Database Syst Rev*. 2007(2):CD005594.
- 22.** Wang PS, Schneeweiss S, Avorn J, et al. Risk of death in elderly users of conventional vs. atypical antipsychotic medications. *N Engl J Med*. 2005;353:2335-2341.
- 23.** Bradley KA, Rubinsky AD, Sun H, et al. Alcohol screening and risk of postoperative complications in male VA patients under-going major non-cardiac surgery. *J Gen Intern Med*. 2011;26:162-169.
- 24.** Mayo-Smith MF, Beecher LH, Fischer TL, et al. Management of alcohol withdrawal delirium. An evidence-based practice guideline. *Arch Intern Med*. 2004;164:1405-1412.
- 25.** Sullivan JT, Sykora K, Schneiderman J, et al. Assessment of alcohol withdrawal: the revised Clinical Institute Withdrawal Assessment for Alcohol scale (CIWA-Ar). *Br J Addict*. 1989;84:1353-1357.
- 26.** Mayo-Smith MF. Pharmacological management of alcohol withdrawal. A meta-analysis and evidence-based practice guideline. American Society of Addiction Medicine Working Group on Pharmacological Management of Alcohol Withdrawal. *JAMA*. 1997;278:144-151.
- 27.** Meagher DJ, et al. Concordance between DSM-IV and DSM V criteria for delirium diagnosis in a pooled database of 768 prospectively evaluated patients using delirium rating scale-revised-98. *BMC Medicine*. 2014;12:164.
- 28.** Fick DM, Inouye SK, Guess J, et al. Preliminary development of an ultrabrief two-item bedside test for delirium. *J Hosp Med*. 2015;10(00):000-000.
- 29.** O'Regan NA, Ryan DJ, Boland E, et al. Attention! A good bedside test for delirium? *J Neurol Neurosurg Psychiatry*. 2014;85(10):1122-1131.
- 30.** Inouye SK, Westendorp RG, Saczynski JS: Delirium in elderly people. *Lancet*. 2014, 383: 911-922
- 31.** Watt D, Budding DE, Koziol LF. Delirium. Noggle CA, Dean RS (Eds.), The neuropsychology of psychopathology, Springer, NY (2013), 425-440.
- 32.** Ryan DJ, O'Regan NA, Caoimh RÓ, Clare J, O'Connor M, Leonard M, McFarland J, Tighe S, O'Sullivan K, Trzepacz PT, Meagher D, Timmons S: Delirium in an adult acute hospital population: predictors, prevalence and detection. *BMJ Open*. 2013, 3: e001772-10.1136/bmjopen-2012-001772

- 33.** Buurman BM et al. Geriatric conditions in acutely hospitalized older patients: prevalence and one-year survival and functional decline. *PLoS One* 2011;6:e26951
- 34.** Leslie DL, et al. Premature death associated with delirium at 1-year follow-up. *Arch Intern Med.* 2005;165:1657-62
- 35.** Marcantonio ER, et al. Outcomes of older people admitted to postacute facilities with delirium. *J Am Geriatr Soc.* 2005;53:963-969.
- 36.** Saczynski JS et al. Cognitive trajectories after postoperative delirium. *NEJM.* 2012;367:30-39.
- 37.** Chedru F, Geschwind N. Disorders of higher cortical functions in acute confusional states. *Cortex.* 1972;8:395-411.
- 38.** Jones RN, et al. Aging, brain disease, and reserve: implications for delirium. *Am J Geriatr Psychiatry.* 2010;18:117-127
- 39.** Wilson RS, et al Cognitive decline after hospitalization in a community population of older persons. *Neurology.* 2012;78:950-956.
- 40.** Saczynski JS, et al. Cognitive trajectories after postoperative delirium. *NEJM.* 2012;367:30-39
- 41.** Cole MG, Primeau FJ. Prognosis of delirium in elderly hospital patients. *CMAJ.* 1993;149(1):41
- 42.** Gaudreau JD, Gagnon P. Psychotoenic drugs and delirium pathogenesis: the central role of the thalamus. *Med Hypotheses.* 2005;64:471-475.
- 43.** Leslie DL, et al. One-year health care costs associated with delirium in the elderly population. *Arch Intern Med.* 2008;168:27-32
- 44.** Wachter RM. Understanding patient safety (2nd edition), McGraw-Hill Medical, NY 2012.
- 45.** Van Rompaey B, et al. The effect of earplugs during the night on the onset of delirium and sleep perception: a randomized controlled trial in intensive care patients. *Crit Care.* 2012 May;16(3):R73.
- 46.** Leslie DL, et al. Consequences of preventing delirium in hospitalized older adults on nursing home costs. *J Am Geriatr Soc.* 2005;53:405-409
- 47.** Campell N et al. Pharmacological management of delirium in hospitalized adults – a systematic evidence review. *J Gen Intern Med.* 2009;24(7):848.
- 48.** Atalan N, et al. Morphine is a reasonable alternative to haloperidol in the treatment of postoperative hyperactive-type delirium after cardiac surgery. *J Cardiothorac Vasc Anesth.* 2013 Oct;27(5):933-38.
- 49.** Moryl N, Comfort C, Obbens E. Methadone in the treatment of pain and terminal delirium in advanced cancer patients. *Palliat Support Care.* 2005;3(4):311.
- 50.** Hudetz JA, et al. Ketamine attenuates delirium after cardiac surgery with cardiopulmonary bypass. *J Cardiothorac Vasc Anesth.* 2009 Oct;23(5):651-657.
- 51.** Reade MC et al. Effect of dexmedetomidine added to standard care on ventilator-free time in patients with agitated delirium: A randomized clinical trial. *JAMA.* 2016 Apr 12; 315:1460.

- 52.** Awissi DK, et al. Alcohol withdrawal and delirium tremens in the critically ill: a systematic review and commentary. *Intensive Care Med.* 2013 Jan;39(1):16-30.
- 53.** Saitz R, Mayo-Smith MF, Roberts MS, Redmond HA, Bernard DR, Calkins DR. Individualized treatment for alcohol withdrawal. a randomized double-blind controlled trial. *JAMA.* 1994;272:519–23.
- 54.** Daepen JB, Gache P, Landry U, Sekera E, Schweizer V, Gloor S, et al. Symptom-triggered vs fixed-schedule doses of benzodiazepine for alcohol withdrawal: a randomized treatment trial. *Arch Intern Med.* 2002;162:1117–21.
- 55.** Cassidy EM, et al. Symptom-triggered benzodiazepine therapy for alcohol withdrawal syndrome in the emergency department: a comparison with the standard fixed dose benzodiazepine regimen. *Emerg Med J.* 2012 Oct;29(10):802-4.
- 56.** Sullivan JT, Swift RM, Lewis DC. Benzodiazepine requirements during alcohol withdrawal syndrome: clinical implications of using a standardized withdrawal scale. *J Clin Psychopharmacol.* 1991;11:291–95.
- 57.** Reoux JP, Miller K. Routine hospital alcohol detoxification practice compared with symptom triggered management with an Objective Withdrawal Scale (CIWA-Ar). *Am J Addict.* 2000;9:135–44.
- 58.** Jaeger T, Lohr R, Pankratz VS. Symptom-triggered therapy for alcohol withdrawal syndrome in medical inpatients. *Mayo Clinic Procedure.* 2001;77:695–701.
- 59.** Ferguson JA, et al. Risk factors for delirium tremens development. *J Gen Intern Med.* 1996;11(7):410.
- 60.** Monte R , et al. Risk factors for delirium tremens in patients with alcohol withdrawal syndrome in a hospital setting. *Eur J Intern Med.* 2009 Nov;20(7):690-4
- 61.** Kim DW, et al. Clinical predictors for delirium tremens in patients with alcohol withdrawal seizures. *Am J Emerg Med.* 2015 May;33(5):701-4
- 62.** Won A, Smithburger PL, Kane-Gill SL. Review of adjunctive dexmedetomidine in the management of severe acute alcohol withdrawal syndrome. *Am J Drug Alcohol Abus.* 2015;41(5):382-91.
- 63.** Malcolm R, Ballenger JC, Sturgis ET, Anton R. Double-blind controlled trial comparing carbamazepine to oxazepam treatment of alcohol withdrawal. *Am J Psychiatry.* 1989;146:617–21.
- 64.** Chourishi A, Raichandani OP, Chandraker S, Chourishi S. A comparative study of efficacy and tolerability of lorazepam and gabapentin in the treatment of alcohol withdrawal syndrome. *IJPSR.* 2010;3(2):80–84.
- 65.** Stuppaek CH, Deisenhammer EA, Kurz M, Whitworth AB, Hinterhuber H. The irreversible gamma-aminobutyrate transaminase inhibitor vigabatrin in the treatment of the alcohol withdrawal syndrome. *Alcohol Alcohol.* 1996;31:109–11.
- 66.** Mirijello A et al. Identification and management of alcohol withdrawal syndrome. *Drugs.* 2015 Mar;75(4):353-65.
- 67.** Wei LA, et al. The confusion assessment method: a systematic review of current usage. *J Am*

Geriatr Soc. 2008;56:823-830.

- 68.** Tieges, Z., Evans, J. J., Neufeld, K. J. & MacLullich, A. M. J. The neuropsychology of delirium: advancing the science of delirium assessment. *Int. J. Geriatr. Psychiatry.* 2018; 33: 1501–1511.
- 69.** van Velthuijsen, E. L. et al. Psychometric properties and feasibility of instruments for the detection of delirium in older hospitalized patients: a systematic review. *Int. J. Geriatr. Psychiatr.* 2015; 31: 974–989.
- 70.** NIDUS-Network for Investigation of Delirium: Unifying Scientists. Delirium Measurement Info Cards <https://deliriumnetwork.org/measurement/delirium-info-cards/> (2020).
- 71.** Laurila, J. V., Pitkala, K. H., Strandberg, T. E. & Tilvis, R. S. The impact of different diagnostic criteria on prevalence rates for delirium. *Dement. Geriatr. Cogn. Disord.* 2003; 16: 156–162.
- 72.** Shenkin SD, Fox C, Godfrey M, Siddiqi N, Goodacre S, Young J, Anand A, Gray A, Hanley J, MacRaile A, Steven J, Black PL, Tieges Z, Boyd J, Stephen J, Weir CJ, MacLullich AMJ. Delirium detection in older acute medical inpatients: a multicentre prospective comparative diagnostic test accuracy study of the 4AT and the confusion assessment method. *BMC Med.* 2019 Jul 24;17(1):138.
- 73.** Bellelli G, Morandi A, Davis DH, Mazzola P, Turco R, Gentile S, Ryan T, Cash H, Guerini F, Torpillessi T, Del Santo F, Trabucchi M, Annoni G, MacLullich AM. Validation of the 4AT, a new instrument for rapid delirium screening: a study in 234 hospitalised older people. *Age Ageing.* 2014 Jul;43(4):496–502.
- 74.** Douglas VC, Hessler CS, Dhalialiwal G, Betjemann JP, Fukuda KA, Alameddine LR, Lucatorto R, Johnston SC, Josephson SA. The AWOL tool: derivation and validation of a delirium prediction rule. *J Hosp Med.* 2013 Sep;8(9):493-9.
- 75.** Robertsson B, Karlsson I, Styrud E, Gottfries CG. Confusional State Evaluation (CSE): an instrument for measuring severity of delirium in the elderly. *Br J Psychiatry.* 1997 Jun;170:565-70.
- 76.** McCusker, J., Cole, M., Bellavance, F., & Primeau, F. (1998). Reliability and Validity of a New Measure of Severity of Delirium. *International Psychogeriatrics*, 10(4), 421-433.
- 77.** de Jonghe JF, Kalisvaart KJ, Timmers JF, Kat MG, Jackson JC. Delirium-O-Meter: a nurses' rating scale for monitoring delirium severity in geriatric patients. *Int J Geriatr Psychiatry.* 2005 Dec;20(12):1158-66.
- 78.** Breitbart W, Rosenfeld B, Roth A, Smith MJ, Cohen K, Passik S. The Memorial Delirium Assessment Scale. *J Pain Symptom Manage.* 1997 Mar;13(3):128-37.

- 79.** Gaudreau JD, Gagnon P, Harel F, Roy MA. Impact on delirium detection of using a sensitive instrument integrated into clinical practice. *Gen Hosp Psychiatry*. 2005 May-Jun;27(3):194-9.
- 80.** van den Boogaard M, Pickkers P, Slooter AJ, Kuiper MA, Spronk PE, van der Voort PH, van der Hoeven JG, Donders R, van Achterberg T, Schoonhoven L. Development and validation of PRE-DELIRIC (PREdiction of DELIRium in ICu patients) delirium prediction model for intensive care patients: observational multicentre study. *BMJ*. 2012 Feb 9;344:e420.
- 81.** Maldonado JR, Sher YI, Benitez-Lopez MA, Savant V, Garcia R, Ament A, De Guzman E. A Study of the Psychometric Properties of the "Stanford Proxy Test for Delirium" (S-PTD): A New Screening Tool for the Detection of Delirium. *Psychosomatics*. 2020 Mar-Apr;61(2):116-126.
- 82.** Lin HS, Eeles E, Pandy S, et al. Screening in delirium: A pilot study of two screening tools, the Simple Query for Easy Evaluation of Consciousness and Simple Question in Delirium. *Australasian Journal on Ageing*. 2015 Dec;34(4):259-264.
- 83.** Fick, D. M. & Marcantonio, E. R. In response to "Preliminary development of an ultrabrief two-item bedside test for delirium". *J. Hosp. Med.* 2016;11: 155.
- 84.** Ely EW, Shintani A, Truman B, Speroff T, Gordon SM, Harrell FE Jr, Inouye SK, Bernard GR, Dittus RS. Delirium as a predictor of mortality in mechanically ventilated patients in the intensive care unit. *JAMA*. 2004 Apr 14;291(14):1753-62.
- 85.** Pandharipande PP, Girard TD, Jackson JC, Morandi A, Thompson JL, Pun BT, Brummel NE, Hughes CG, Vasilevskis EE, Shintani AK, Moons KG, Geevarghese SK, Canonico A, Hopkins RO, Bernard GR, Dittus RS, Ely EW; BRAIN-ICU Study Investigators. Long-term cognitive impairment after critical illness. *N Engl J Med*. 2013 Oct 3;369(14):1306-16.
- 86.** Jones RN, Cizginer S, Pavlech L, Albuquerque A, Daiello LA, Dharmarajan K, Gleason LJ, Helfand B, Massimo L, Oh E, Okereke OI, Tabloski P, Rabin LA, Yue J, Marcantonio ER, Fong TG, Hsieh TT, Metzger ED, Erickson K, Schmitt EM, Inouye SK; Better Assessment of Illness (BASIL) Study Group. Assessment of Instruments for Measurement of Delirium Severity: A Systematic Review. *JAMA Intern Med*. 2019 Feb 1;179(2):231-239.
- 87.** Inouye SK, Kosar CM, Tommet D, Schmitt EM, Puelle MR, Saczynski JS, Marcantonio ER, Jones RN. The CAM-S: development and validation of a new scoring system for delirium severity in 2 cohorts. *Ann Intern Med*. 2014 Apr 15;160(8):526-533.
- 88.** Trzepacz PT, Mittal D, Torres R, Kanary K, Norton J, Jimerson N. Validation of the Delirium Rating Scale-revised-98: comparison with the delirium rating scale and the cognitive test for delirium. *J Neuropsychiatry Clin Neurosci*. 2001 Spring;13(2):229-42.

- 89.** Wesley EW. Confusion Assessment Method for the ICU (CAM-ICU Flowsheet). https://uploads-ssl.webflow.com/5b0849daec50243a0a1e5e0c/5bad3d0db04cd51ee28f45c3_CAM-ICU-flowsheet.pdf (2002).
- 90.** Francis J. Delirium in older patients. *J Am Geriatr Soc.* 1992 Aug;40(8):829-38.
- 91.** Inouye SK, Rushing JT, Foreman MD, Palmer RM, Pompei P. Does delirium contribute to poor hospital outcomes? A three-site epidemiologic study. *J Gen Intern Med.* 1998 Apr;13(4):234-42.
- 92.** McPherson JA, Wagner CE, Boehm LM, Hall JD, Johnson DC, Miller LR, Burns KM, Thompson JL, Shintani AK, Ely EW, Pandharipande PP. Delirium in the cardiovascular ICU: exploring modifiable risk factors. *Crit Care Med.* 2013 Feb;41(2):405-13.
- 93.** Khan SH, Lindroth H, Hendrie K, Wang S, Imran S, Perkins AJ, Gao S, Vahidy FS, Boustani M, Khan BA. Time trends of delirium rates in the intensive care unit. *Heart Lung.* 2020 Sep-Oct;49(5):572-577.
- 94.** McNicoll L, Pisani MA, Zhang Y, Ely EW, Siegel MD, Inouye SK. Delirium in the intensive care unit: occurrence and clinical course in older patients. *J Am Geriatr Soc.* 2003 May;51(5):591-8.
- 95.** Lawlor PG, Gagnon B, Mancini IL, Pereira JL, Hanson J, Suarez-Almazor ME, Bruera ED. Occurrence, causes, and outcome of delirium in patients with advanced cancer: a prospective study. *Arch Intern Med.* 2000 Mar 27;160(6):786-94.
- 96.** Geriatric Medicine Research Collaborative. Delirium is prevalent in older hospital inpatients and associated with adverse outcomes: results of a prospective multi-centre study on World Delirium Awareness Day. *BMC Med.* 2019 Dec 14;17(1):229.
- 97.** Goldberg TE, Chen C, Wang Y, Jung E, Swanson A, Ing C, Garcia PS, Whittington RA, Moitra V. Association of Delirium With Long-term Cognitive Decline: A Meta-analysis. *JAMA Neurol.* 2020 Jul 13;77(11):1-9.
- 98.** Cole MG, Bailey R, Bonnycastle M, McCusker J, Fung S, Ciampi A, Belzile E, Bai C. Partial and No Recovery from Delirium in Older Hospitalized Adults: Frequency and Baseline Risk Factors. *J Am Geriatr Soc.* 2015 Nov;63(11):2340-8.
- 99.** Jackson TA, Wilson D, Richardson S, Lord JM. Predicting outcome in older hospital patients with delirium: a systematic literature review. *Int J Geriatr Psychiatry.* 2016 Apr;31(4):392-9.
- 100.** Cole MG, Ciampi A, Belzile E, Zhong L. Persistent delirium in older hospital patients: a systematic review of frequency and prognosis. *Age Ageing.* 2009 Jan;38(1):19-26.
- 101.** Wilson JE, Mart MF, Cunningham C, Shehabi Y, Girard TD, MacLullich AMJ, Slooter AJC, Ely EW.

Delirium. *Nat Rev Dis Primers*. 2020 Nov 12;6(1):90.

102. Trzepacz PT. Anticholinergic Model For Delirium. *Semin Clin Neuropsychiatry*. 1996 Oct;1(4):294-303.

103. Trzepacz PT. The neuropathogenesis of delirium. A need to focus our research. *Psychosomatics*. 1994 Jul-Aug;35(4):374-91.

104. Cunningham C, Wilcockson DC, Campion S, Lunnon K, Perry VH. Central and systemic endotoxin challenges exacerbate the local inflammatory response and increase neuronal death during chronic neurodegeneration. *J Neurosci*. 2005 Oct 5;25(40):9275-84.

105. Hennessy E, Griffin ÉW, Cunningham C. Astrocytes Are Primed by Chronic Neurodegeneration to Produce Exaggerated Chemokine and Cell Infiltration Responses to Acute Stimulation with the Cytokines IL-1 β and TNF- α . *J Neurosci*. 2015 Jun 3;35(22):8411-22.

106. Yang AC, Stevens MY, Chen MB, Lee DP, Stähli D, Gate D, Contrepois K, Chen W, Iram T, Zhang L, Vest RT, Chaney A, Lehallier B, Olsson N, du Bois H, Hsieh R, Cropper HC, Berdnik D, Li L, Wang EY, Traber GM, Bertozzi CR, Luo J, Snyder MP, Elias JE, Quake SR, James ML, Wyss-Coray T. Physiological blood-brain transport is impaired with age by a shift in transcytosis. *Nature*. 2020 Jul;583(7816):425-430.

107. ENGEL GL, ROMANO J. Delirium, a syndrome of cerebral insufficiency. *J Chronic Dis*. 1959 Mar;9(3):260-77.

108. Sweeney MD, Kisler K, Montagne A, Toga AW, Zlokovic BV. The role of brain vasculature in neurodegenerative disorders. *Nat Neurosci*. 2018 Oct;21(10):1318-1331.

109. Reddy PH, Beal MF. Amyloid beta, mitochondrial dysfunction and synaptic damage: implications for cognitive decline in aging and Alzheimer's disease. *Trends Mol Med*. 2008 Feb;14(2):45-53.

110. A Virkamäki, I Puhakainen, V A Koivisto, H Vuorinen-Markkola, H Yki-Järvinen, Mechanisms of hepatic and peripheral insulin resistance during acute infections in humans, *The Journal of Clinical Endocrinology & Metabolism*, Volume 74, Issue 3, 1 March 1992, Pages 673–679

111. Thorell A, Efendic S, Gutniak M, Häggmark T, Ljungqvist O. Insulin resistance after abdominal surgery. *Br J Surg*. 1994 Jan;81(1):59-63.

112. Sonneville R, de Montmollin E, Poujade J, Garrouste-Orgeas M, Souweine B, Darmon M, Mariotte E, Argaud L, Barbier F, Goldgran-Toledano D, Marcotte G, Dumenil AS, Jamali S, Lacave G, Ruckly S, Mourvillier B, Timsit JF. Potentially modifiable factors contributing to sepsis-associated encephalopathy. *Intensive Care Med*. 2017 Aug;43(8):1075-1084.

- 113.** Yu M, Wang H, Ding A, Golenbock DT, Latz E, Czura CJ, Fenton MJ, Tracey KJ, Yang H. HMGB1 signals through toll-like receptor (TLR) 4 and TLR2. *Shock*. 2006 Aug;26(2):174-9.
- 114.** Banks WA, Farr SA, Morley JE. Entry of blood-borne cytokines into the central nervous system: effects on cognitive processes. *Neuroimmunomodulation*. 2002-2003;10(6):319-27.
- 115.** Cerejeira J, Firmino H, Vaz-Serra A, Mukaetova-Ladinska EB. The neuroinflammatory hypothesis of delirium. *Acta Neuropathol*. 2010 Jun;119(6):737-54.
- 116.** van Gool WA, van de Beek D, Eikelenboom P. Systemic infection and delirium: when cytokines and acetylcholine collide. *Lancet*. 2010 Feb 27;375(9716):773-5.
- 117.** van den Boogaard M, Kox M, Quinn KL, van Achterberg T, van der Hoeven JG, Schoonhoven L, Pickkers P. Biomarkers associated with delirium in critically ill patients and their relation with long-term subjective cognitive dysfunction; indications for different pathways governing delirium in inflamed and noninflamed patients. *Crit Care*. 2011;15(6):R297.
- 118.** Vasunilashorn SM, Dillon ST, Inouye SK, Ngo LH, Fong TG, Jones RN, Travison TG, Schmitt EM, Alsop DC, Freedman SD, Arnold SE, Metzger ED, Libermann TA, Marcantonio ER. High C-Reactive Protein Predicts Delirium Incidence, Duration, and Feature Severity After Major Noncardiac Surgery. *J Am Geriatr Soc*. 2017 Aug;65(8):e109-e116.
- 119.** Subramaniyan S, Terrando N. Neuroinflammation and Perioperative Neurocognitive Disorders. *Anesth Analg*. 2019 Apr;128(4):781-788.
- 120.** Taccone FS, Su F, Pierrickos C, He X, James S, Dewitte O, Vincent JL, De Backer D. Cerebral microcirculation is impaired during sepsis: an experimental study. *Crit Care*. 2010;14(4):R140.
- 121.** Pfister D, Siegemund M, Dell-Kuster S, Smielewski P, Rüegg S, Strelbel SP, Marsch SC, Pargger H, Steiner LA. Cerebral perfusion in sepsis-associated delirium. *Crit Care*. 2008;12(3):R63.
- 122.** Caplan GA, Kvelde T, Lai C, Yap SL, Lin C, Hill MA. Cerebrospinal fluid in long-lasting delirium compared with Alzheimer's dementia. *J Gerontol A Biol Sci Med Sci*. 2010 Oct;65(10):1130-6.
- 123.** Kealy J, Murray C, Griffin EW, Lopez-Rodriguez AB, Healy D, Tortorelli LS, Lowry JP, Watne LO, Cunningham C. Acute Inflammation Alters Brain Energy Metabolism in Mice and Humans: Role in Suppressed Spontaneous Activity, Impaired Cognition, and Delirium. *J Neurosci*. 2020 Jul 15;40(29):5681-5696.
- 124.** van Munster BC, Korevaar JC, Zwinderman AH, Levi M, Wiersinga WJ, De Rooij SE. Time-course of cytokines during delirium in elderly patients with hip fractures. *J Am Geriatr Soc*. 2008

Sep;56(9):1704-9.

125. Stefano GB, Bilfinger TV, Fricchione GL. The immune-neuro-link and the macrophage: postcardiotomy delirium, HIV-associated dementia and psychiatry. *Prog Neurobiol.* 1994 Mar;42(4):475-88.

126. Oh ES, Needham DM, Nikooie R, Wilson LM, Zhang A, Robinson KA, Neufeld KJ. Antipsychotics for Preventing Delirium in Hospitalized Adults: A Systematic Review. *Ann Intern Med.* 2019 Oct 1;171(7):474-484.

127. Burry L, Mehta S, Perreault MM, Luxenberg JS, Siddiqi N, Hutton B, Ferguson DA, Bell C, Rose L. Antipsychotics for treatment of delirium in hospitalised non-ICU patients. *Cochrane Database Syst Rev.* 2018 Jun 18;6(6):CD005594.

128. Girard TD, Pandharipande PP, Carson SS, Schmidt GA, Wright PE, Canonico AE, Pun BT, Thompson JL, Shintani AK, Meltzer HY, Bernard GR, Dittus RS, Ely EW; MIND Trial Investigators. Feasibility, efficacy, and safety of antipsychotics for intensive care unit delirium: the MIND randomized, placebo-controlled trial. *Crit Care Med.* 2010 Feb;38(2):428-37.

129. Fleischmann R, Tränkner S, Bathe-Peters R, Rönnefarth M, Schmidt S, Schreiber SJ, Brandt SA. Diagnostic Performance and Utility of Quantitative EEG Analyses in Delirium: Confirmatory Results From a Large Retrospective Case-Control Study. *Clin EEG Neurosci.* 2019 Mar;50(2):111-120.

130. Scottish Intercollegiate Guidelines Network (SIGN). SIGN 157. Risk reduction and management of delirium: a national clinical guideline. SIGN 2019. <https://www.sign.ac.uk/media/1423/sign157.pdf>

131. Schweickert WD, Pohlman MC, Pohlman AS, Nigos C, Pawlik AJ, Esbrook CL, Spears L, Miller M, Franczyk M, Deprizio D, Schmidt GA, Bowman A, Barr R, McCallister KE, Hall JB, Kress JP. Early physical and occupational therapy in mechanically ventilated, critically ill patients: a randomised controlled trial. *Lancet.* 2009 May 30;373(9678):1874-82.

132. Ludolph P, Stoffers-Winterling J, Kunzler AM, Rösch R, Geschke K, Vahl CF, Lieb K. Non-Pharmacologic Multicomponent Interventions Preventing Delirium in Hospitalized People. *J Am Geriatr Soc.* 2020 Aug;68(8):1864-1871.

133. Pitkälä KH, Laurila JV, Strandberg TE, Tilvis RS. Multicomponent geriatric intervention for elderly inpatients with delirium: a randomized, controlled trial. *J Gerontol A Biol Sci Med Sci.* 2006 Feb;61(2):176-81.

134. Page VJ, Ely EW, Gates S, Zhao XB, Alce T, Shintani A, Jackson J, Perkins GD, McAuley DF. Effect of intravenous haloperidol on the duration of delirium and coma in critically ill patients (Hope-ICU): a randomised, double-blind, placebo-controlled trial. *Lancet Respir Med.* 2013 Sep;1(7):515-23.

135. Devlin JW, Skrobik Y, Gélinas C, Needham DM, Slooter AJC, Pandharipande PP, Watson PL, Weinhouse GL, Nunnally ME, Rochwerg B, Balas MC, van den Boogaard M, Bosma KJ, Brummel NE, Chanques G, Denehy L, Drouot X, Fraser GL, Harris JE, Joffe AM, Kho ME, Kress JP, Lanphere JA, McKinley S, Neufeld KJ, Pisani MA, Payen JF, Pun BT, Puntillo KA, Riker RR, Robinson BRH, Shehabi Y, Szumita PM, Winkelman C, Centofanti JE, Price C, Nikayin S, Misak CJ, Flood PD, Kiedrowski K, Alhazzani W. Clinical Practice Guidelines for the Prevention and Management of Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption in Adult Patients in the ICU. *Crit Care Med.* 2018 Sep;46(9):e825-e873.

136. Girard TD, Exline MC, Carson SS, Hough CL, Rock P, Gong MN, Douglas IS, Malhotra A, Owens RL, Feinstein DJ, Khan B, Pisani MA, Hyzy RC, Schmidt GA, Schweickert WD, Hite RD, Bowton DL, Masica AL, Thompson JL, Chandrasekhar R, Pun BT, Strength C, Boehm LM, Jackson JC, Pandharipande PP, Brummel NE, Hughes CG, Patel MB, Stollings JL, Bernard GR, Dittus RS, Ely EW; MIND-USA Investigators. Haloperidol and Ziprasidone for Treatment of Delirium in Critical Illness. *N Engl J Med.* 2018 Dec 27;379(26):2506-2516.

137. Devlin JW, Roberts RJ, Fong JJ, Skrobik Y, Riker RR, Hill NS, Robbins T, Garpestad E. Efficacy and safety of quetiapine in critically ill patients with delirium: a prospective, multicenter, randomized, double-blind, placebo-controlled pilot study. *Crit Care Med.* 2010 Feb;38(2):419-27.

138. Tampi RR, Tampi DJ, Ghori AK. Acetylcholinesterase Inhibitors for Delirium in Older Adults. *Am J Alzheimers Dis Other Demen.* 2016 Jun;31(4):305-10.

139. Yu A, Wu S, Zhang Z, Dening T, Zhao S, Pinner G, Xia J, Yang D. Cholinesterase inhibitors for the treatment of delirium in non-ICU settings. *Cochrane Database Syst Rev.* 2018 Jun 28;6(6):CD012494.

140. Hov, K. R. et al. The Oslo study of clonidine in elderly patients with delirium; LUCID: a randomised placebo-controlled trial. *Int. J. Geriatr. Psychiatry.* 2019;34: 974–981

141. Skrobik Y, Duprey MS, Hill NS, Devlin JW. Low-Dose Nocturnal Dexmedetomidine Prevents ICU Delirium. A Randomized, Placebo-controlled Trial. *Am J Respir Crit Care Med.* 2018 May 1;197(9):1147-1156.

142. Liu X, Xie G, Zhang K, Song S, Song F, Jin Y, Fang X. Dexmedetomidine vs propofol sedation reduces delirium in patients after cardiac surgery: A meta-analysis with trial sequential analysis of randomized controlled trials. *J Crit Care.* 2017 Apr;38:190-196.

143. Su X, Meng ZT, Wu XH, Cui F, Li HL, Wang DX, Zhu X, Zhu SN, Maze M, Ma D. Dexmedetomidine for prevention of delirium in elderly patients after non-cardiac surgery: a randomised, double-blind, placebo-controlled trial. *Lancet.* 2016 Oct 15;388(10054):1893-1902.

- 144.** Carrasco G, Baeza N, Cabré L, Portillo E, Gimeno G, Manzanedo D, Calizaya M. Dexmedetomidine for the Treatment of Hyperactive Delirium Refractory to Haloperidol in Nonintubated ICU Patients: A Nonrandomized Controlled Trial. *Crit Care Med.* 2016 Jul;44(7):1295-306.
- 145.** Yost DA. Alcohol withdrawal syndrome. *Am Fam Physician.* 1996 Aug;54(2):657-64, 669. Erratum in: *Am Fam Physician* 1996 Dec;54(8):2377.
- 146.** Turner RC, Lichstein PR, Peden JG Jr, Busher JT, Waivers LE. Alcohol withdrawal syndromes: a review of pathophysiology, clinical presentation, and treatment. *J Gen Intern Med.* 1989 Sep-Oct;4(5):432-44.
- 147.** DeBellis R, Smith BS, Choi S, Malloy M. Management of delirium tremens. *J Intensive Care Med.* 2005 May-Jun;20(3):164-73.
- 148.** Elisaf M, Liberopoulos E, Bairaktari E, Siamopoulos K. Hypokalaemia in alcoholic patients. *Drug Alcohol Rev.* 2002 Mar;21(1):73-6.
- 149.** Victor M. The role of hypomagnesemia and respiratory alkalosis in the genesis of alcohol-withdrawal symptoms. *Ann N Y Acad Sci.* 1973 Apr 30;215:235-48.
- 150.** Hack JB, Hoffmann RS, Nelson LS. Resistant alcohol withdrawal: does an unexpectedly large sedative requirement identify these patients early? *J Med Toxicol.* 2006 Jun;2(2):55-60.
- 151.** Rosenson J, Clements C, Simon B, Vieaux J, Graffman S, Vahidnia F, Cisse B, Lam J, Alter H. Phenobarbital for acute alcohol withdrawal: a prospective randomized double-blind placebo-controlled study. *J Emerg Med.* 2013 Mar;44(3):592-598.e2.
- 152.** Ukwuoma Ekeozor C, Jeyaruban D, Lasserson D. Where should patients with or at risk of delirium be treated in an acute care system? Comparing the rates of delirium in patients receiving usual care vs alternative care: A systematic review and meta-analysis. *Int J Clin Pract.* 2020 Nov 25:e13859. doi: 10.1111/ijcp.13859
- 153.** MacLullich AM et al. The 4 A's test for detecting delirium in acute medical patients: a diagnostic accuracy study. *Health Technol Assess.* 2019 Aug;23(40):1-194.
- 154.** Brown EG et al. Predicting inpatient delirium: The AWOL delirium risk-stratification score in clinical practice. *Ger Nurs* 2017;38(6):567-572.
- 155.** Van Eijk MM, van den Boogaard M, van Marum RJ, Benner P, Eikelenboom P, Honing ML, van der Hoven B, Horn J, Izaks GJ, Kalf A, et al. Routine use of the Confusion Assessment Method for the intensive care unit: a multicenter study. *Am J Respir Crit Care Med* 2011;184:340–344.

- 156.** Ely EW, Margolin R, Francis J, May L, Truman B, Dittus R, Speroff T, Gautam S, Bernard GR, Inouye SK. Evaluation of delirium in critically ill patients: validation of the Confusion Assessment Method for the Intensive Care Unit (CAM-ICU). *Crit Care Med* 2001;29:1370–1379.
- 157.** Ely EW, Inouye SK, Bernard GR, Gordon S, Francis J, May L, Truman B, Speroff T, Gautam S, Margolin R, et al. Delirium in mechanically ventilated patients: validity and reliability of the confusion assessment method for the intensive care unit (CAM-ICU). *JAMA* 2001;286:2703–2710.
- 158.** Nishimura, K et al. Sensitivity and specificity of the Confusion Assessment Method for the Intensive Care Unit (CAM-ICU) and the Intensive Care Delirium Screening Checklist (ICDSC) for detecting post-cardiac surgery delirium: A single-center study in Japan. *Heart Lung*. Jan-Feb 2016;45(1):15-20.
- 159.** Han JS et al. The Diagnostic Performance of the Richmond Agitation Sedation Scale for Detecting Delirium in Older Emergency Department Patients. *Acad Emerg Med*. 2015 July; 22(7): 878-882.
- 160.** NIDUS-Network for Investigation of Delirium: Unifying Scientists. Nursing Delirium Screening Scale. <https://deliriumnetwork.org/wp-content/uploads/2018/05/NuDESC.pdf> (2018).
- 161.** Benson G, McPherson A, Reid S. An alcohol withdrawal tool for use in hospitals. *Nursing Times*. 2012;108(26):15-17.)
- 162.** McCusker J, Cole M. The Delirium Index: An instrument for measuring the severity of delirium. St. Mary's Research Center. July 2011.