

# Evaluation and Management of Perioperative Anemia

2022-2025

## References

1. Izaks GJ, Westendorp RG, Knook DL. The definition of anemia in older persons. *JAMA*. 1999;281:1714-1717.
2. Salive ME, Cornoni-Huntley J, Guralnik JM, et al. Anemia and hemoglobin levels in older persons: relationship with age, gender, and health status. *J Am Geriatr Soc*. 1992;40:489-496.
3. Carson JL, Poses RM, Spence RK, Bonavita G. Severity of anaemia and operative mortality and morbidity. *Lancet*. 1988;1:727-729.
4. Jazieh AR, Hussain M, Howington JA, et al. Prognostic factors in patients with surgically resected stages I and II non-small cell lung cancer. *Ann Thorac Surg*. 2000;70:1168-1161.
5. Dunne JR, Malone D, Tracy JK, et al. Perioperative anemia: an independent risk factor for infection, mortality, and resource utilization in surgery. *J Surg Res*. 2002;102:237-244.
6. Aldemir M, Ozen S, Kara IH, et al. Predisposing factors for delirium in the surgical intensive care unit. *Crit Care*. 2001;5:265-270.
7. Aldemir M, Ozen S, Kara IH, et al. Predisposing factors for delirium in the surgical intensive care unit. *Crit Care*. 2001;5:265-270.
8. Halm EA, Wang JJ, Boockvar K, et al. The effect of perioperative anemia on clinical and functional outcomes in patients with hip fracture. *J Ortho Trauma*. 2004;18:369-374.
9. Pfeifer K, Carson JL. Anemia and bleeding. In: Cohn SL, Smetana G, Weed HG. *Perioperative Medicine: Just the Facts*. 1st ed. New York, NY: McGraw-Hill; 2006:320-326.
10. Hoffman R, Furie B, Benz EJ, et al. *Hematology: Basic Principles and Practice, Expert Consult Premium Edition*. 5th ed. Philadelphia, PA: Churchill Livingstone Elsevier; 2009.
11. IV. NKF-K/DOQI Clinical Practice Guidelines for anemia of chronic kidney disease: update 2000. *Am J Kidney Dis*. 2001;37(suppl 1):S182-S238. [Erratum in: *Am J Kidney Dis*. 2001;38:442.]

- 12.** Janik J, Seeler AS. Perioperative management in children with sickle hemoglobinopathy. *Pediatr Surg*. 1980;15:117-120.
- 13.** Rutledge R, Croom RD 3rd, Davis JW Jr, et al. Cholelithiasis in sickle cell anemia: surgical considerations. *South Med J*. 1986;79:28-30.
- 14.** Gibson JR. Anesthesia for sickle cell diseases and other hemoglobinopathies. *Sem Anesthesia*. 1987;4:27-35.
- 15.** Ware R, Filston HC, Schultz WH, Kinney TR. Elective cholecystectomy in children with sickle hemoglobinopathies. Successful outcome using a preoperative transfusion regimen. *Ann Surg*. 1988;208:17-22.
- 16.** Esseltine DW, Baxter MR, Bevan JC. Sickle cell states and the anaesthetist. *Can J Anaesth*. 1988;35:385-403.
- 17.** Vichinsky EP, Haberkern CM, Neumayr L, et al. A comparison of conservative and aggressive transfusion regimens in the perioperative management of sickle cell disease. *N Engl J Med*. 1995;333:206-212.
- 18.** Koshy M, Weiner SJ, Miller ST, et al. Surgery and anesthesia in sickle cell disease. Cooperative Study of Sickle Cell Disease. *Blood*. 1995;66:3676-3684.
- 19.** Hirst C, Williamson L. Preoperative blood transfusions for sickle cell disease (review). The Cochrane Library. 2010;2:CD003149. Available at: <http://www.thecochranelibrary.com/SpringboardWebApp/userfiles/ccoch/file/CD003149.pdf>. April 20, 2010.
- 20.** Al-Jaouni S, Al-Muhayawi SM, Qari MH, et al. Randomized clinical trial to evaluate the safety of avoiding pre-operative transfusion in sickle cell anemia. *Bahrain Medical Bulletin*. 2006;28:164-167.
- 21.** The Management of Sickle Cell Disease. 4th ed. Bethesda, MD: National Institutes of Health. National Heart, Lung, and Blood Institute. NIH Publication No. 02-2117; June 2002. Available at: [http://www.nhlbi.nih.gov/health/prof/blood/sickle/sc\\_mngt.pdf](http://www.nhlbi.nih.gov/health/prof/blood/sickle/sc_mngt.pdf). Accessed April 20, 2010.
- 22.** Rogers MAM, Blumberg N, Saint S, et al. Hospital variation in transfusion and infection after cardiac surgery: a cohort study. *BMC Med*. 2009;7:37.
- 23.** Shiba H, H, Ishida Y, Wakiyama S, et al. Negative impact of blood transfusion on recurrence and prognosis of hepatocellular carcinoma after hepatic resection. *J Gastrointest Surg*. 2009;13:1336-1342.

- 24.** Koval KJ, Rosenberg AD, Zuckerman JD, et al. Does blood transfusion increase the risk of infection after hip fracture? *J Orthop Trauma*. 1997;11:260-265; discussion 265-266
- 25.** Bierbaum BE, Callaghan JJ, Galante JO, et al. An analysis of blood management in patients having a total hip or knee arthroplasty. *J Bone Joint Surg (Am)*. 1999;81:2-10.
- 26.** Maluenda G, G, Lemesle G, Ben-Dor I, et al. Value of blood transfusion in patients with blood hematocrit level of 24% to 30% after percutaneous coronary intervention. *Am J Cardiol*. 2009;104:1069-1073.
- 27.** Carson JL, Duff A, Berlin JA, et al. Influence of perioperative blood transfusion on postoperative mortality. *JAMA*. 1998;279:199-205.
- 28.** Hebert PC, Wells G, Blajchman MA, et al. A multicenter randomized controlled clinical trial of transfusion requirements in critical care. *N Engl J Med*. 1999;340:409-417.
- 29.** American Heart Association. Study finds no significant cardiovascular differences between more aggressive or restrictive post-operative treatment of anemia [news release]. Available at: <http://americanheart.mediaroom.com/index.php?s=43&item=886>. Accessed April 20, 2010.
- 30.** Carson JL, Grossman BJ, Kleinman S, et al. Red blood cell transfusion: a clinical practice guideline from the AABB. *Ann Intern Med*. 2012;157:49-58.
- 31.** Krantz SB. Pathogenesis and treatment of the anemia of chronic disease. *Am J Med Sci*. 1994;307:353-359.
- 32.** Bezwada HP, Nazarian DG, Henry DH, Booth RE Jr. Preoperative use of recombinant human erythropoietin before total joint arthroplasty. *J Bone Joint Surg Am*. 2003;85-A(9):1795-1800.
- 33.** Feagan BG, Wong CJ, Kirkley A, et al. Erythropoietin with iron supplementation to prevent allogeneic blood transfusion in total hip joint arthroplasty. A randomized, controlled trial. *Ann Intern Med*. 2000;133:845-854.
- 34.** Goldberg MA, McCutchen JW, Jove M, et al. A safety and efficacy comparison study of two dosing regimens of epoetin alfa in patients undergoing major orthopedic surgery. *Am J Orthop*. 1996;25:544-552.

- 35.** Heiss MM, Tarabichi A, Delanoff C, et al. Perisurgical erythropoietin application in anemic patients with colorectal cancer: a double-blind randomized study. *Surgery*. 1996;119:523-527.
- 36.** Weber EW, Slappendel R, Hémon Y, et al. Effects of epoetin alfa on blood transfusions and postoperative recovery in orthopaedic surgery: the European Epoetin Alfa Surgery Trial (EEST). *Eur J Anaesthesiol*. 2005;22:249-257.
- 37.** Information for healthcare professionals: erythropoiesis stimulating agents (ESA) [Aranesp (darbepoetin), Epogen (epoetin alfa), and Procrit (epoetin alfa)]. US Food and Drug Administration Website. Available at: <http://www.fda.gov/Drugs/DrugSafety/PostmarketDrugSafetyInformationforPatientsandProviders/ucm126481.htm>. Accessed April 20, 2010.
- 38.** Singh AK, Szczech L, Tang KL, et al. Correction of anemia with epoetin alfa in chronic kidney disease. *N Engl J Med*. 2006;355:2085-2098.
- 39.** Bennett CL, Silver SM, Djulbegovic B, et al. Venous thromboembolism and mortality associated with recombinant erythropoietin and darbepoetin administration for the treatment of cancer-associated anemia. *JAMA*. 2008;299:914-924.
- 40.** Drüeke TB, Locatelli F, Clyne N, et al. Normalization of hemoglobin level in patients with chronic kidney disease and anemia. *N Engl J Med*. 2006;355:2071-2084.
- 41.** Corwin HL, Gettinger A, Fabian TC, et al. Efficacy and safety of epoetin alfa in critically ill patients. *N Engl J Med*. 2007;357:965-976.
- 42.** Careless, PA, Henry DA, Moxey AJ, et al. Cell salvage for minimizing perioperative allogeneic blood transfusion. *Cochrane Database Syst Rev*. 2006;(4):CD001888.
- 43.** Goodnough LT. Autologous blood donation. *Crit Care*. 2004;8:S49-S52.
- 44.** Jacob M, Bruegger D, Conzen P, et al. Development and validation of a mathematical algorithm for quantifying preoperative blood volume by means of the decrease in hematocrit resulting from acute normovolemic hemodilution. *Transfusion*. 2005;45:562-571.
- 45.** Segal JB, Blasco-Colmenares E, Norris EJ, Guallar E. Preoperative acute normovolemic hemodilution: a meta-analysis. *Transfusion*. 2004;44:632-644.
- 46.** Jarnagin WR, Gonen M, Maithel SK, et al. A prospective randomized trial of acute normovolemic hemodilution compared to standard intraoperative management in patients undergoing major hepatic resection. *Ann Surg*. 2008;248:360-369.

- 47.** Warner M, et al. Perioperative Anemia: Prevention, Diagnosis, and Management Throughout the Spectrum of Perioperative Care. *Anesth Analg*. May 2020;130;5;1364-1380.
- 48.** Desai, et al. Perioperative Patient Blood Management to Improve Outcomes. *Anesth Analg*. November 2018;127;5;1211-1220.
- 49.** Toby Richards, et al. Preoperative intravenous iron to treat anaemia before major abdominal surgery (PREVENTT): a randomized, double-blind, controlled trial. *The Lancet*. 396;10259;1353-1361.
- 50.** Alshantti Ahmed H. et al. Intravenous iron versus oral iron in anemia management for perioperative patients: A systemic review and meta-analysis. *J Appl Hematol*. 2020;11;4;184-190.
- 51.** Howard J, et al. *Lancet*. 2013 Mar 16;381;9870;930-8.
- 52.** Estcourt LJ, Fortin PM, Trivella M, Hopewell S. Preoperative blood transfusions for sickle cell disease. *Cochrane Database of Systematic Reviews* 2016, Issue 4. Art. No.: CD003149. DOI: 10.1002/14651858.CD003149.pub3).
- 53.** Yawn et al. *JAMA*. 2014;312(10):1033-1048.
- 54.** Walker et al. Guideline on the peri-operative management of patients with sickle cell disease. *Anaesthesia*. <https://doi.org/10.1111/anae.15349>.
- 55.** Froessler B, Palm P, Weber I, Hodyl NA, Singh R, Murphy EM. The Important Role for Intravenous Iron in Perioperative Patient Blood Management in Major Abdominal Surgery: A Randomized Controlled Trial. *Ann Surg*. 2016;264(1):41-46. doi:10.1097/SLA.0000000000001646).
- 56.** Ng O, Keeler BD, Mishra A, Simpson JA, Neal K, Al-Hassi HO, Brookes MJ, Acheson AG. Iron therapy for preoperative anaemia. *Cochrane Database of Systematic Reviews* 2019, Issue 12. Art. No.: CD011588.
- 57.** Jaffe RA, Schmiesing CA, Golianu B. *Anesthesiologist's manual of surgical procedures*. Fifth edition. ed. Philadelphia: Wolters Kluwer Health; 2014.
- 58.** Everhart, J, et al. *The Journal of Bone and Joint Surgery*: February 21, 2018;100;4;288-294.
- 59.** Kougiias P, et al. *Ann Surg*. 2019 Oct;270(4):602-611.

60. Breu AC, Theisen-Toupal J, Feldman LS. Serum and red blood cell folate testing on hospitalized patients. *J Hosp Med*. 2015 Nov;10(11):753-5.
61. Mueller MM, Van Remoortel H, Meybohm P, et al. Patient Blood Management: Recommendations From the 2018 Frankfurt Consensus Conference. *JAMA*. 2019;321(10):983–997.
62. Spahn DR, et al. *Anesthesiology*. 2020;133(1):212.
63. Raphael J, et al. *Anesth Analg*. 2019;129(5):1209.
64. Spahn DR, Muñoz M, Klein AA, et al. *Anesthesiology*. 2020;133(1):212,
65. Kaufner L, et al. *Cochrane Database Syst Rev*. 2020;8:CD012451.
66. Heschl M, et al. *Eur J Anaesthesiol*. 2018 Apr;35(4):289-297.
67. Cho BC, et al. *Anesth Analg*. 2019;128(5):981.
68. Bohlius J, et al. *J Clin Oncol*. 2019;37(15):1336.
69. Mazer et al. *N Engl J Med* 2017; 377:2133-2144.
70. Mazer et al. *N Engl J Med* 2018; 379:1224-1233.
71. Token C, et al. *Perm J*. 2009 Winter; 13(1):18–28.
72. Dunn CJ, Goa KL. Trane xamic acid. *Drugs* 57 (6):1005–1032, 1999.
73. Roberts I, et al. *Trials* 18 (1):48, 2017.
74. Franchimi M, et al. *Blood Transfus* 2018;16:36-43.
75. Yates J, et al. *Transfusion*. 2019 Feb;59(2):806-824.
76. Fillingham et al. *J Arthroplasty*. 2018;33(10):3065-9).
77. Boer C, et al. *J Cardiothorac Vasc Anesth*. 2018;32(1):88-120.
78. Devereaux PJ, Marcucci M, Painter TW, Conen D, Lomivorotov V, Sessler DI, Chan MTV, Borges FK, Martínez-Zapata MJ, Wang CY, Xavier D, Ofori SN, Wang MK, Efremov S, Landoni G, Kleinlugtenbelt YV, Szczeklik W, Schmartz D, Garg AX, Short TG, Wittmann M, Meyhoff CS, Amir M, Torres D, Patel A, Duceppe E, Ruetzler K, Parlow JL, Tandon V, Fleischmann E, Polanczyk CA, Lamy A, Astrakov SV, Rao M, Wu WKK, Bhatt

K, de Nadal M, Likhvantsev VV, Paniagua P, Aguado HJ, Whitlock RP, McGillion MH, Prystajecky M, Vincent J, Eikelboom J, Copland I, Balasubramanian K, Turan A, Bangdiwala SI, Stillo D, Gross PL, Cafaro T, Alfonsi P, Roshanov PS, Belley-Côté EP, Spence J, Richards T, VanHelder T, McIntyre W, Guyatt G, Yusuf S, Leslie K; POISE-3 Investigators. Tranexamic Acid in Patients Undergoing Noncardiac Surgery. *N Engl J Med*. 2022 May 26;386(21):1986-1997. doi: 10.1056/NEJMoa2201171. Epub 2022 Apr 2. PMID: 35363452.

**79.** Vassallo R, et al. *Transfus Med Rev*. 2015;29(4):268.

**80.** Barile L, et al. *Anesth Analg*. 2017;124(3):743; Henderson RA, et al. *Transfusion*. 2019;59(6):2023.

**81.** Munoz M et al *Anaesthesia*. 2018;73(11):1418-31.

**82.** Klein AA, Bailey CR, Charlton A, Lawson C, Nimmo AF, Payne S, Ruck Keene A, Shortland R, Smith J, Torella F, Wade P. Association of Anaesthetists: anaesthesia and peri-operative care for Jehovah's Witnesses and patients who refuse blood. *Anaesthesia*. 2019 Jan;74(1):74-82. doi: 10.1111/anae.14441. Epub 2018 Sep 30. PMID: 30270470.