



### Moderator

Lily Ackermann, ScM, MD, FACP, FHM
Clinical Associate Professor of Medicine
SHM Education Committee
Thomas Jefferson University Hospital

COI: Dr. Ackermann reports no conflicts of interest



**Speakers** 

Valerie G. Press, MD, MPH & Sarah Gray, MD MPH

COI: Dr. Ackermann reports no conflicts of interest



## **Attestation Disclosure to the Audience**

The activity director(s), planning committee member(s), speaker(s), author(s), or anyone in a position to control the content for the **Inpatient Management of COPD** attest that NO financial interest or relationship which could be perceived as a real or apparent conflict of interest were identified. There were no individuals in a position to control the content that refused to disclose.

#### Disclosures:

#### **VG Press**

- Consultant for Vizient and Humana on patient education programs
- Funding from: NIH and AHRQ

#### **S** Gray

Nothing to disclose





## **Question 1**

You've admitted a patient with COPD exacerbation. In the ED, she was given 125 mg solumedrol x1 dose. You need to decide what steroid dose to give her and for how long.

Which is true about steroids?

- a. Steroids are only useful for patients with high eosinophils
- b. Using a burst followed by a taper reduces risk of treatment failure
- c. Higher doses of steroids help to improve symptoms faster
- d. Longer courses of steroids are associated with adverse effects



## **Question 2**

# What proportion of patients misuse their rescue inhalers?

Q1

**Test** 



Q2

**Test** 



## **Poll Question**



## **Answers**



## **Answers**





## **Discussion**