

Prevention of Surgical Site Infections

(2024-2027)

REFERENCES

1. Seidlman JL, Mantyh CR, Anderson DJ. Surgical Site Infection Prevention. *JAMA* 2023;329(3):244-252
2. Calderwood MS, Anderson DJ, Bratzler DW, et al. Strategies to prevent surgical site infections in acute-care hospitals: 2022 Update. *Infect Control Hosp Epidemiol* 2023
3. Devaney L, Rowell KS. Improved surgical wound classification-why it matters. *AORN J*. 2004;80:208-299, 212-223.
4. Bratzler DW, Dellinger EP, Olsen KM, et al; American Society of Health-System Pharmacists; Infectious Disease Society of America; Surgical Infection Society; Society for Healthcare Epidemiology of America; Clinical practice guidelines for antimicrobial prophylaxis in surgery. *Am J Health Syst Pharm*. 2013;70:195-283.
5. Weiner, L, Sievert, D et al. Antimicrobial-Resistant Pathogens Associated With Healthcare-Associated Infections: Summary of Data Reported to the National Healthcare Safety Network at the Centers for Disease Control and Prevention, 2011–2014. *Infect Control Hosp Epidemiol*, 2016
6. Lightner DJ, Wymer K, Sanchez J et al: Best practice statement on urologic procedures and antimicrobial prophylaxis. *J Urol* 2020; **203**: 351.
7. Prevention of Infection After Gynecologic Procedures: ACOG Practice Bulletin, Number 195. *Obstetrics & Gynecology* 131(6):p e172-e189, June 2018.
8. Lee CE, Zembower TR, Fotis MA, et al. The incidence of antimicrobial allergies in hospitalized patients: implications regarding prescribing patterns and emerging bacterial resistance. *Arch Intern Med*. 2000;160(18):2819.
9. Joint Task Force on Practice Parameters, American Academy of Allergy, Asthma and Immunology, American College of Allergy, Asthma and Immunology, Joint Council of Allergy, Asthma and Immunology. Drug allergy: A 2022 Practice Parameter Update. *J Allergy Clin Immunol*. 2022;150(6):1333-1393.
10. Benjamin B. L. Wong, MD, FRCPC; Paul K. Keith, MD, FRCPC; and Susan Wasserman, MD, FRCPC: Clinical history as a predictor of penicillin skin test outcome. *Annals of Allergy, Asthma, and Immunology*. August 2016; 97:169-174

11. Park M, Markus P, Matesic D, Li JT . Safety and effectiveness of a preoperative allergy clinic in decreasing vancomycin use in patients with a history of penicillin allergy. *Ann Allergy Asthma Immunol.* 2006;97(5):681.
12. Blumenthal KG, Ryan EE, Li, Y, Lee, H, Kyhlen JL, Shenoy ES. The Impact of a Reported Penicillin Allergy in Surgical Site Infection Risk. *Clin Infect Dis* 2018 Jan 18;66(3):329-336
13. Finkelstein R, Rabino G, Mashiah T, et al. Vancomycin versus cefazolin prophylaxis for cardiac surgery in the setting of a high prevalence of methicillin-resistant staphylococcal infections. *J Thorac Cardiovasc Surg.* 2002;123:326-332.
14. Garey KW, Lai D, Dao-Tran TK, et al. Interrupted time series analysis of vancomycin compared to cefuroxime for surgical prophylaxis in patients undergoing cardiac surgery. *Antimicrob Agents Chemother.* 2008;52:446-451.
15. Talbot TR. Surgical Site Infections and Antimicrobial Prophylaxis. *Elsevier eBooks.* Published online January 1, 2015:3492-3504.e3. doi:<https://doi.org/10.1016/b978-1-4557-4801-3.00318-0>
16. Bratzler DW, Hunt DR. The surgical infection prevention and surgical care improvement projects: national initiatives to improve outcomes for patients having surgery. *Clin Infect Dis.* 2006;43:322-330.
17. Forse RA, Karam B, MacLean LD, Christou NV. Antibiotic prophylaxis for surgery in morbidly obese patients. *Surgery.* 1989;106:750-756.
18. McDonald M, Grabsch E, Marshall C, Forbes A. Single- versus multiple-dose antimicrobial prophylaxis for major surgery: a systematic review. *Aust N Z JSurg.* 1998;68:388-396.
19. Takemoto RC, Lonner B, Andres T, et al. Appropriateness of twenty-four-hour antibiotic prophylaxis after spinal surgery in which a drain is utilized: a prospective randomized study. *J Bone Joint Surg Am* 2015;97:979-986.
20. Sandoe JA, Kumar B, Stoddart B, et al. Effect of extended perioperative antibiotic prophylaxis on intravascular catheter colonization and infection in cardiothoracic surgery patients. *J Antimicrob Chemother.* 2003;52:877-879.
21. Harbarth S, Samore MH, Lichtenberg D, Carmeli Y. Prolonged antibiotic prophylaxis after cardiovascular surgery and its effect on surgical site infections and antimicrobial resistance. *Circulation.* 2000;101:2916-2921.
22. Miranda D, Mermel LA, Dellinger EP. Perioperative antibiotic prophylaxis: surgeons as antimicrobial stewards. *J Am Coll Surg* 2020;231:766-768.
23. Branch-Elliman W, O'Brien W, Strymish J, Itani K, Wyatt C, Gupta K. Association of duration and type of surgical prophylaxis with antimicrobial-associated adverse events. *JAMA Surg* 2019;154:590-598.

24. Darouiche RO, Wall Jr. MJ, Itani KMF, et al. Chlorhexidine-alcohol versus povidone-iodine for surgical-site antisepsis. *N Engl J Med.* 2010;362;18-26.
25. Misteli H, Weber WP, Reck S, et al. Surgical glove perforation and the risk of surgical site infection. *Arch Surg.* 2009;144:553-558.
26. Alexander JW, Fischer JE, Boyajian M, et al. The influence of hair-removal methods on wound infections. *Arch Surg.* 1983;118:347-352.
27. Zerr KJ, Furnary AP, Grunkemeier GL, et al. Glucose control lowers the risk of wound infection in diabetics after open heart operations. *Ann Thorac Surg.* 1997;63:356-361.
28. Talbot TR. Diabetes mellitus and cardiothoracic surgical site infections. *Am J Infect Control.* 2005;33:353-359.
29. Furnary AP, Zerr KJ, Grunkemeier GL, Starr A. Continuous intravenous insulin infusion reduces the incidence of deep sternal wound infection in diabetic patients after cardiac surgical procedures. *Ann Thorac Surg.* 1999;67:352-360.
30. Gandhi GY, Nutall GA, McMahon MM, et al. Intensive Intraoperative Insulin Therapy versus Conventional Glucose Management During Cardiac Surgery: A Randomized Trial. *Ann Intern Med* 2007 Feb 20;146(4): 233-43
31. Berríos-Torres SI, Umscheid CA, Bratzler DW, et al. Centers for Disease Control and Prevention Guideline for the Prevention of Surgical Site Infection, 2017. *JAMA Surg.* 2017;152(8):784–791.
32. Ban KA, Ko CY, Duane TM, et al. American College of Surgeons and Surgical Infection Society: Surgical Site Infection Guidelines, 2016 Update, *Journal of the American College of Surgeons*, Volume 224, Issue 1, 2017, Pages 59-74
33. Singh JA, Schleck C, Harmsen WS, et al. Current tobacco use is associated with higher rates of implant revision and deep infection after total hip or knee arthroplasty: a prospective cohort study. *BMC Med.* 2015;13:283.
34. Sorensen, LT. Wound Healing and Infection in Surgery The Clinical Impact of Smoking and Smoking Cessation: A Systematic Review and Meta-analysis. *Arch Surg.* 2012;147(4):373-383
35. Kurz A, Sessler DI, Lenhardt R. Perioperative normothermia to reduce the incidence of surgical-wound infection and shorten hospitalization. Study of Wound Infection and Temperature Group. *N Engl J Med.* 1996;334:1209-1215.
36. Kurz A, Sessler DI, Lenhardt R. Perioperative normothermia to reduce the incidence of surgical wound infection and shorten hospitalization, Study of Wound Infection and Temperature Group. *N Engl J Med* 1996; 334:1209–1215.

37. Greif R, Akca O, Horn EP, et al. Supplemental perioperative oxygen to reduce the incidence of surgical-wound infection. Outcomes Research Group. *N Engl J Med*. 2000;342:161-167.
38. Pryor KO, Fahey TJ, 3rd, Lien CA, Goldstein PA. Surgical site infection and the routine use of perioperative hyperoxia in a general surgical population: a randomized controlled trial. *JAMA*. 2004;291:79-87.
39. Belda FJ, Aguilera L, Garcia de la Asuncion J, et al. Supplemental perioperative oxygen and the risk of surgical wound infection: a randomized controlled trial. *JAMA*. 2005;294:2035-2042.
40. Dellinger EP. Increasing inspired oxygen to decrease surgical site infection: time to shift the quality improvement research paradigm. *JAMA*. 2005;294:2091-2092.
41. Bassett HFM, Ferguson WG, Hoffman E, et al. Sources of staphylococcal infection in surgical wound sepsis. *J Hygiene*. 1963;67:49-57.
42. McNeill IF, Porter IA, Green CA. Staphylococcal infection in a surgical ward. *Br Med J*. 1961;2:798-802.
43. Wenzel RP, Perl TM. The significance of nasal carriage of *Staphylococcus aureus* and the incidence of postoperative wound infection. *J Hosp Infect*. 1995;31:13-24.
44. Holton DL, Nicolle LE, Diley D, Bernstein K. Efficacy of mupirocin nasal ointment in eradication *Staphylococcus aureus* nasal carriage in chronic haemodialysis patients. *J Hosp Infect*. 1991;17:133-137.
45. Konvalinka A, Errett L, Fong IW. Impact of treating *Staphylococcus aureus* nasal carriers on wound infections in cardiac surgery. *J Hosp Infect*. 2006;64:162-168.
46. Kalmeijer MD, Coertjens H, van Nieuwland-Bollen PM. Surgical site infections in orthopedic surgery: the effect of mupirocin nasal ointment in a double-blind, randomized, placebo-controlled study. *Clin Infect Dis*. 2002;35:353-358.
47. Wilcox MH, Hall J, Pike H. Use of perioperative mupirocin to prevent methicillin-resistant *Staphylococcus aureus* (MRSA) orthopaedic surgical site infections. *J Hosp Infect*. 2003;54:196-201.
48. Jog S, Cunningham R, Cooper S. Impact of preoperative screening for methicillin-resistant *Staphylococcus aureus* by real-time polymerase chain reaction in patients undergoing cardiac surgery. *J Hosp Infect*. 2008;69:124-130.
49. Perl TM, Cullen JJ, Wenzel RP, et al. Intranasal mupirocin to prevent postoperative *Staphylococcus aureus* infections. *N Engl J Med*. 2002;346:1871-1877.
50. Laupland KB, Conly JM. Treatment of *Staphylococcus aureus* colonization and prophylaxis for infection with topical intranasal mupirocin: an evidence-based review. *Clin Infect Dis*. 2003;37:933-938.

51. Trautmann M, Stecher J, Hemmer W, et al. Intranasal mupirocin prophylaxis in elective surgery. *Chemotherapy*. 2008;54:9-16.
52. Rijen MML, Bonten M, Wenzel RP, Kluytmans JA. Intranasal mupirocin for reduction of *Staphylococcus aureus* infections in surgical patients with nasal carriage: a systematic review. *J Antimicrobial Chemo*. 2008;61:254-261.
53. Phillips M, Rosenberg A, Shopsin B, et al. Preventing surgical site infections: a randomized, open-label trial of nasal mupirocin ointment and nasal povidone-iodine solution. *Infect Control Hosp Epidemiol* 2014;35:826-832.
54. Segers P, Speekenbrink RG, Ubbink DT, et al. Prevention of nosocomial infection in cardiac surgery by decontamination of the nasopharynx and oropharynx with chlorhexidene gluconate: a randomized controlled trial. *JAMA*. 2006;296:2460-2466.
55. Harbarth S, Fankhauser C, Schrenzel J, et al. Universal Screening for methicillin-resistant *Staphylococcus aureus* at hospital admission and nosocomial infection in surgical patients. *JAMA*. 2008;299:1149-1157.
56. Schweizer ML, Chiang HY, Septimus E, et al. Association of a bundled intervention with surgical site infections among patients undergoing cardiac, hip, or knee surgery. *JAMA*. 2015;313:2162-2171.
57. Engoren M. Lack of association between atelectasis and fever. *Chest*. 1995;107(1):81.
58. Huizinga WK, Kritzinger NA, Bhamjee A. The value of adjuvant systemic antibiotic therapy in localized wound infections among hospital patients: a comparative study. *J Infect*. 1986;13:11-16.
59. Stevens DL, Bisno AL, Chambers HF, et al. Practice Guidelines for the diagnosis and management of skin and soft-tissue infections: 2014 update by the Infectious Diseases Society of America.. *Clin Infect Dis*. 2014;59:147-159.